

TREATMENT NOTES

Treat on rates found, as well as those given here. See Alphabetical List for more rates found with given conditions. Where the treatment calls for treating on an organ specified by name no rate will be given. The appropriate rates for the organs are given in the list referred to as TO.

A

- | | |
|---|--|
| Ache, in back | Treat on 7-48 (increases) |
| , in bones | Treat 47-,24-, 34-, 8-,
and -85. |
| , in bones & muscles | Treat 10.5-21 |
| , in low back | See T-Coccyx |
| See also | T-Headache, T-Migraine, &
T-Stomach ache |
| Acid/Alkaline
26-41,34-84 | Treat the lower of the two
for 2 minutes maximum. |
| See also | T- 26- |
| Acidosis 5- | Treat Thymus; always found
in Leukemia (see). |
| Adrenals TO 3-9 | 65-62 3-5 min. to stimulate
3-9 ½-1 hr. if below 9-49 |
| Albumen (in Kidneys) | Treat 63-72 (rate) |
| Algae 82- | To eliminate, treat Thyroid.
D-Cancer |
| See also | Treat 2-85, 45-29, 9-70 |
| Allergy 85- (D) | Preventative & cure: 2-24 |
| (*)Treat 40-36 & 36-61 | 54-3 (Ovary transpose, Tm5);
Thymus; 36-; Prostate |
| , spasm type | Treat 17-17; 43-53 |
| 30.5- & 36- | 16-77; also 10-1 indefinitely |
| , 17- | T-Poison |
| Aluminum 16- | Treat 17-29; 35-92; 3-9 |
| See also | Treat Liver, 30.5-29, &
Thymus. |
| Anemia 50- | 59-77, 30.5-21, 30.5-29,
& 30.5-95 |
| , pernicious | |
| Aplastic Anemia (D) | |
| (*) In extreme allergy from poison ivy aftermath. | |

© Dr. T. Galen Hieronymus

Appendicitis	If high, treat: 55-66, 75-66, 41-66, 34-66, 66-66, 8-66.
Arsenic 52-	Standard procedure: Treat 14; 52 for 15 to 30 minutes. Treat with Sodium Thiosulphate for 15 to 30 minutes. Treat Duodenum for 15 to 30 minutes. Treat Lungs and Kidneys. Treat 5-2.5; 2-8; 10-1. T-Poison, D-Arsenic Treat 7-71 and Prostate. "6 is fatal. Asparagus is good for it." (C)
See also	
Arteries, hardening of , 86-71 (C)	
Arthritis	Treat on Basic rate 63- To relieve stiffness, treat 4-7. ACTH is made from Adrenal Cortex and is used in treating Arthritis. Treat: 10-9 (increases); 13-29; 39-28; 14.5-2.5; 37-94. 24-66 brings down 31-s Look for 7-12.5 and 21.5-21.5 and stop eating lettuce (C). Reduced by 13-61 Treat Prostate Treat rate (31-31) Treat Thyroid Norwich aspirin is related to rate, possibly for treatment Treat Thyroid To eliminate, treat on 11.5-10.5. Treat 2-29; STB-Asthma; D-Nervous Conditions
13-58	
7-	
connective tissue	
spinal conn. tissue	
31-	
13-31	
Aspirin residual	
Asthma	
See also	
Athlete's foot	Treat 9-; try Chloromycetin

B

- B. Coli 62-, 20-62
 See also
 Backache
 Bile duct, fibrous
 See also
 Birth pains
 Black mold 5.5-
 Bladder
 Blood, general treat.?
 Blood Cancer 30.5-
 See also
 Blood in Stool
 Bones, aches
 Bovine Virus 56-
 See also
 Breathe, inability to
 Brucillus Abortus
 Bruises & Lumps
 Building rates
 Burns 71-, 72-, 55-, 40-,
 -91, -42
 82-
 See also
- Treat on 20-62 with Oxbile;
 17-29
 D-B. Coli; Tm6
 Treat 7-48 (increases)
 Treat rate (81-23.5)
 D-Liver
 See T-Pain, labor
 45-29; 35-9; with Abbott's
 Surbex X-X; & with
 Chloromycetin
 See T-Urinary
 2-41, 3-2, 30-34
 Treat Thymus
 T-Leukemia
 Check 24-90, treat rate
 See T-Ache
 Treat with M Substance (Tm3)
 STB-Bovine Virus
 See T-Heart Exhaustion
 17-29; with Chloromycetin
 Treat on 34-85 & 8-85 (C)
 1-; 98-; 7-27; 4-2; 51-22.5;
 Treat 10 minutes maximum
 To reduce acidity, treat
 43-53, 45-29, 16-25.
 Treat on 6-81
 D-Burns; STB-Burns

C

- Calcification 7-
 Calcium
 Calcium deposits
 Cancer, look for and treat asbestos 38.5-7.5
 settles in brain, liver, nerves etc.
- Treat Prostate
 To mobilize, treat 33-39
 To absorb, treat 5-91 until
 7- starts to diminish.
 To dissolve, treat 8.25-12
 one hour a day. (rate
 is possibly 8.25-25)

Cancer, biopsy 9.5-27	Treat rate to lower, also 98-13
, general	To prevent & cure, basic rate is Pancreas, to stimulate production of enzymes.
	Treat Thyroid to get rid of 82-.
	Treat Thymus
	33-39 eliminates Cancer (Tm5)
	8-6; 3.5-37 bring down all Cancer rates
	Reduced by 3.5-7; 6-85; 8.5-12.
30-50	Treat 54-3 a maximum of 5 minutes (Tm5)
, Leukemia	Treat Thymus (see T & D)
, lung	x-92 for 15 minutes, twice daily.
	$\frac{1}{2}$ hr. or more: 87-13.5, 45-29, 3.5-37, 59-77, 7.5-9
	Overnight: 58-53, 81-53, 30-53
	3 Iodine Rations daily
, Uterine & Prostate	There is usually high Staph. Treat 45-29.
See also	D-Cancer, D-&T-Leukemia
Carbon Dioxide	To eliminate, treat 9-9
Carcinoma 30-	Treat Thymus; Prostate; or with M Substance (Tm3)
	D-Growths
See also	Treat Liver, Bone marrow, & Adrenals.
Catarrh (mumps) 29-	Treat on 10-20
29-33	Treat 3-9, 3-8, with Sodium Thiosulphate, & Chloromycetin ?
Chest	D-Lungs
	See T-Heart Exhaustion
See also	
Chill	

Clotting

To reduce: Check Thyroid & Parathyroid. If Parathyroid is too high (more than 20 above the vitality) it often reduces by treating Thyroid. If Thymus is too high, reverse for $\frac{1}{2}$ to $\frac{1}{2}$ minute to lower. (see Tm5)

See also
Coccyx, pain

D-Thymus,
Treat 18-36, then 14.5-96;
30-96.

See also
Colds

STB-Lower Back Pains.
Treat 88-33 then 14.5-37
Look for 85-, 63-72, 3.5-51
Treat 3.5-51 with

Aureomycin
Reduced by 12.5-38.5,
8-96 (increases)

Treat on 55-51 with
Colmetanese

Treat Gall Bladder
Use Chloromycetin, Wheat
Germ, then Sodium
Thiosulphate.

Iodine Ration may clear
sniffles

, 32-
, 3-, 3.5-
, 3-4
, 64-51
, 32-, 60.5-, 61-,
& 76-

Use High C & Santicol
Use Vitamins C & D
Treat rate, check 18.75-25.25
Treat rate

See also

Treat with High C; or
with Chloromycetin
D-Nose, D-Sinus & colds,
STB-Common Cold & Flu

Colic 47-32 & 47 & 90
Colon

See T-Cramps
Treat 8-75 (increases)

, blockage 12-38
, conditions

Treat 12.5-53.5
Treat 63-84 & with Bile
Salts

, 39-

Treat Kidneys; Vioform
treat left lobe of liver.

Congestion	40- (D)	Treat 40-91
	40-91	Treat rate; helped by 4-8 & 4-81
		3.5-22 decreases it.
Constipation		Treat 45-29; 68-29 to cure;
		Treat 14-32, works on Liver
		Treat 15 minutes each on:
		13-64, 17-29, 8-72,
		5-66, 66-66
See also		STB-Constipation
Coryza	96-	Treat 96- in location
Cough	87-, 88-	Treat 87-, 88- in location
	14.5-37	Treat rate
	14-37, 14.5-37	Treat on 87-87, 87-51, 87-16
Cow warts	51-22.5	Treat for a maximum of 10 mins.
Cramps	47-32 & 47 & 90	"M Substance #29"
Cyst	7-85, 13-85,	Treat all on Prostate
	81-85 (in skin)	
	-42 (subcutaneous)	Treat on Prostate
See also		D-Growths

D

DDT	48-	Treat Kidneys; Duodenum;
		Sodium ThioSulphate; 7.5-29
See also		T-Poison; STB-Virus X
D Vitamin		To increase, treat 89-70
		a maximum of 2 minutes.
		Used in Undulent and
		infections; 68-s(68-41).
Dandruff	12.5-25.5	Treat rate
Depression	60-29	Treat rate, Prostate (30 min)
Diabetes	5-70	Treat 45-29, 36-35 until
		5-70 stays at 0.
See also		D-Diabetes, T-Sugar
Digestion of protein		45-29 aids in it.
Diphtheria	5-	Always in Leukemia, treat
		Thymus (see T-Leukemia)
Diarrhea		Treat appendix

Diverticulitis	75-75	Treat 43-53 for 5-9 minutes
	8-, 34-, -75	Treat on rates
	14-75	Treat on 43-53 and 90-75
Drugs		See T-Poisons
Dustrag, Chemical	3.5-6	Treat rate to reduce; also
		treat 37-94; 7.5-29
See also		T-Poison

E

EEE	46-, -23, -29	Seems to hit nervous system the most; treat with Sodium Thiosulphate, and Santicol for as much as one hour.
		Pills for nerves wipe it out: Tamarac Pharmacy #8003 Librium 5 mg.
	46-46	Use "Equanil" to reduce
Ears		Treat with Vioform; treat out Nickel 17.5-41.
Earache (D)		Treat 8-68 or -69; 3-82; 34-68 or -69; treat Liver
		Treat with Vitamin D
Ear Discharge	42.5-69	If find 17.5-41, treat out 1st.
		Treat on rate; also Sodium Thiosulphate
Edema		Posterior Pituitary has to do with water absorption.
		Treat on 6-17
	3.5-42	Treat 45-29 & with Aureomycin
	43-43	Treat rate to reduce; raises Liver
	15-32, 10-32, 37-32	Treat 23-23; Adrenals, Spleen, Pancreas. When rates found, in softened water, treat 3-82.
Egg Flu	33-23, 82-47	Treat with Vit. A to reduce; Treat rates; treat Prostate

Endocrine Imbalance	Treat Menopause (10-81)
Epilepsy, emotional disturbances	Check and treat Pineal
See Also	D-Nervous Conditions, STB-Mental Disorders
Esophagus, burning	Try 2-34
Eyes	Treat 3.75-2.75; goes up. Helped by 2-49; 42-19; 7-19; 3.5-19.5; 23-9.5; 9.5-10.5
, 11.5-7	Helped by 4-8 (Tm4)
See also	T- & D-Styes; STB-Eyes
Excess HCl	See STB-Excess HCl & T-HydroChloric Acid
Exhaustion	Always found with Undulent. Treat Adrenals; with Proginon.
See also	T-Fatigue; T-Mononucleosis

F

Face	Treat 2.75-3.25 with Santy ^{on} col Treat on 8-64, 16.5-31.5, 14.75-1
, sore on face	Treat 13-92?
Fat 6-	Treat 6-17
Fatty tissue	To eliminate, treat 12.5-31.5 for 5 minutes, then 6.5-61 for several hours.
Fatigue, chronic	Check 15-42, treat indefinitely
, general	Treat on Adrenals, Thyroid 51-22.5 10 minutes maximum 35-9 long periods 17-29 for getting going 89-70 2 minutes maximum 6-81
, 53-, -41, -91, etc	3-54 (see TO-Ovaries) Treat 3-9

Fever 10-, 83-(often) 95-85	Treat with Colmetanese Treat rate; 3-61 (increases); 23-23
See also	STB-Fever
Fibrosis 81-	Treat on Thymus or Prostate
See also	STB-Fibrosis; D-Growths; T-Tumor
Fingers, mashed -9.5	Treat 8-9.5
Fluid release	45-29; 29-29; 10-29
Flu, Asian	See T-Cough
, Egg 33-23,82-47	Treat rates indefinitely to lower; on Prostate; with Vitamin A
, HongKong	Treat 47-90, 47-37
, intestinal (D) 38-21, 81-23.5	Treat 36-35 (36-25?) a few minutes if this rate is lower than 9-49
, 3- (with cold)	Treat with Vitamins C & D
, 6-	Treat on 6-23
, 34-	Treat on Liver
, 36-	Treat on Prostate
, 37-	Use Sodium Thiosulphate
, 38-	Liver;with High C; Vit. C & D
, 68-	68-41 or with Vit. D; 3-39; 33-39; try Auromycin
, 84- & 89-	With Luty's #29
, 87-	33-35, Chloromycetin
, 34-,35-,36-,87-	3-82,35-35, Chloromycetin
, 46-,11-, 63-	Associated with 34- & 36-
, 5.5, 35-, 78-	Associated with 6-,68-, 38-, & 34- (treat the same?)
,See also	STB-Common Cold & Flu
Food poisoning (D)	Treat 47-13 to reduce all 47-
	Treat with B-Paya
Function, to stimulate	Treat 12-82 for 1 to 2 hrs.
Fungus, 8.5-	4-3.5 (increases),builds resistance to all fungi
,9-,45-,83-,86-, & 82-32	Chloromycetin; Santicol
, 82-	Treat Thyroid; Sodium Iodide
, 45-, 86-	Treat on Spleen
	Treat 23-8

G

Gall stones 84-73

See also

Gas, intestinal 4-32

Gastric Ulcer

Gonorrhoea 5-52

Green apple cramps

Grippe (& Flu) 68-

, achy muscles

Treat rate & Prostate

Treat rate overnight

Treat 50-76 to empty Gall

Bladder, & remove stones.

D-9, D-Gall stones

Treat Appendix; See Tm6

See T-Ulcer

Found with 20-55 & 20-5.5

Treat on 5-52

See T-Food poisoning

Treat 68-47; 3-39; 33-39;

with Vitamin D

With Vitamin D; treat 68-41

H

Hangover

Hayfever

Headache

14-50.5

14-

60-29, 13-29

81-23.5

12.5-53.5 (zinc)

2.75-3, 2.75-81, or

2.75-13.5

Sinus 75-x

-- & skin

-- , sneezes, & skin

tension --

See Also

Heart conditions

See Also

Treat 3-76

See STB-Hayfever

Reduced by 3-14

Rate plus Auromycin

55-37, Auromycin

Treat on rates

Treat rate 30 minutes or

until it comes down.

(releases Bile, for sick
headache & Colon trouble)

Treat on rate

2.75-13.5 reduces all three

Use Green allergy capsule (Tm2)

43-53 for 5 to 9 minutes

Treat 9-2.5 (increases)

Helped by 42.5-51-85

Treat 2-15

T-Migraine; Tm8

Treat 30-69

69-70, 39-70 (seems to reduce
all infections)

TO-Heart; D-Heart & Heart

Attack; STB-Heart Troubles

Heart Exhaustion, chill, Treat 2-76, 3-9 for $\frac{1}{2}$ to 1 hr.
inability to breathe until chills are gone.
If only a one bank instrument
treat each rate alternately
15 minutes each.

Heart, fibrillation
(cause: 57-70,38-70) Use Colmetanese
, increase -- Treat 2-84
, skip, from food Treat 29-6.5 to stop
, skip Treat 63-84
, spasms 58-95, Treat on rates to
81-80, 63-84 reduce
, weakness Treat with M Substance (Tm3)
, -- Worms 15.5-24.5 all night then
2 hours per day

Hemotoma 55-31 indefinitely
Hemoglobin Treat Chlorophyll to raise
Hemophilia 29-31 Treat on rate
See also Hemorrhage: T,D, STB
Hemorrhage 29-31,20 minutes-at a time,
to increase coagulation.
Treat on Parathyroid to
increase Fibrin; Thymus
to increase Platelets
STB-Hemorrhage; STB & D-Thymus
58-90 to shrink throughout
the Colon

See also
Hemorrhoids 59-77; 31-2;
Treat 5-91 15-30 mins.,
6-81 15-30 mins.,
77-41 indefinitely

Hernia 77-41, 55-41, 59-77; 31-2;
& 40-41 Treat 5-91 15-30 mins.,
6-81 15-30 mins.,
77-41 indefinitely

High Blood Pressure (D) 6-23; Abbott's Surbex X-X
Hives 55-42 Treat with ACTH
Hookworm 2-100 Treat Liver, Colon Wall
HydroChloric Acid, excess Treat on rate (72-70)
See also T: Burns; Uicers
STB-Excess HCl
D: Nervous Conditions; HCl;
& Burns

Hypertonicity 22- Treat 22- in location until
it disappears. DON'T OVER-
TREAT, will cause 77-.
T-Hypotonicity

See also E-11

Hypotonicity 77-

See also (for
Both 77- & 22-)

Treat 77- in location until
it disappears. DON'T
OVERTREAT, causes 22-
STB-Tissue Tonicity &
D-Nervous conditions

I

Inability to breathe
Inability to perspire
Infection

See T-Heart Exhaustion
See T-Perspire
Treat -6, -21, -96 on any
infection, to assist in
clearing all parts of body.
Shouldn't find 77- or 22-

Treat 4-46 up to one hour
20-90; 59-77; 52-51; 48-31
10-61; 10-81; 33-23; &
82-47 to lower infections
6-61 (increases) for 15 mins.
4.25-4.25; 12.5-11.5; 3-27;
23-23; to reduce --

4-18 reduces infection,
increases organs
69-70, 39-70 seem to reduce --
89-70 a maximum of two mins.

, 12.5-25.5

See also

Treat on 32-32
D-Pacchionian Bodies, STB-Spleen

Inflammation 55-, 20-90

Treat Pancreas

See also

D-Congestion

Insecticides & Herbicides:

2-4-D

Treat on 12.5-2.5

Malathion

Treat on 18-36

6.5-72

Treat on 43-53

See also

T-Poison

Insomnia

53-91; Darvan acts as a
sleeping pill; 46-46

Intestinal worms 4-80,
2-100 & 39-89

3-4 mins. with Garlic Buttons
3-4 mins. with Ammonium
Chloride

See also

T-Nematodes; T-Worms

Islands of Langerhans

Keep above Vitality; see TO

Itches

3-82; 13-64; 14-64; 23-8

J

Jaundice
See also

Abbott's Surbex X-X
D-Liver

K

Kidney -23 (T0)
82- (or -82?)

Use M Substance (Tm3)

Treat on Thyroid

To flush, try 4-96

Kidney stones 43-83
with 7-13

Balance Sodium & Chlorine

Treat on Prostate to reduce

See also

D-9, D-Kidney Stones

Knee 55- inflammation

Treat all listed rates on

3.5- swelling

55-49.5 indefinitely to
lower.

13- tumor

38- flu

61-, 97-

81- scar tissue

34- staph

48- sarcoma

-49.5 Periosteum

-41 muscle

-21.5 ligaments

L

Labor Pains

See T-Pain, Labor

La Grippe

See T-Grippe

Laryngitis (with 84-)

Use Colmetanese

Lead poisoning 80-

Treat on 3-80

See also

T-Poison

Leukemia (D)

Treat on Thymus to cure

33-39 eliminates Leukemia

87-34 reduces --, check

66-29 & to see if 6.5-8
is high.

(continued on p. 154)

Leukemia (cont'd.)	Try 3-73
	Reduce 12-38 first, then
	45-29
	66-29 = antileukemia (can't
	keep Liver up if this
	rate is up.)
30.5-	Treat 45-29; 54-3 10 mins.
	See TO-Ovaries, & Tm5, first.
30.5-, 5-	Thymus, Prostate, 45-29
35-32	45-29; 16-25; with Binio
Leukocyte destroyer	Treat on Liver or with
20.5- in -29 & -17	M Substance (Tm3)
Lindane 6.5-15	16-25 & rate; 13-64;
	10-1 indefinitely
	T-Poison
See also	26-31 two hrs. at a time
Low Blood Sugar	Treat Heart (2-76) to
Lung conditions	stimulate blood flow to lungs
	TO-Lungs; D-Lungs; & T-Chest;
See also	& specific conditions

M

Malaria (D) 4-	Treat with Oxbile
4-32, 4-23	4-32, follow up on 3-8
	Treat on Appendix
Malathion 18-36	2-87, also rate
See also	T-Poison
Measles 4-	Treat Appendix
Meningococcus 14-	Treat Kidney; Auromycin
, headache	55-37; Auromycin
See also	T & D-Polio
Menopause (TO) 10-81	Treat rate. Lowers infections
Menstrual cramps 81-	Use High C to reduce
30-26, 34-26, &	Treat rates for $\frac{1}{2}$ hr. also
8-26	check: 55-26, 81-26, 3-54.
	Treat these $\frac{1}{2}$ hour.
Mental Fog 8-67	Treat rate, goes up & clears.

Mercury 55-90	Treat rate
See also	T-Poison & Metallic Poison
Metallic Poison	10-1 indefinitely
	2-76; 43-53; Lungs; 4 minute
	doses of CIC
See also	T-Poison
Migraine 10-32	Treat on Kidneys
8.5-48	Treat on 16-25
10-50.5, 15-50.5,	Treat 3-82, 9-70; 16-25;
& 37-50.5	77-84
Mononucleosis 53-53	To reduce 53-s, treat 3-9
	as long as 4 hours
	Treat on 28-23
	3-9 several hrs. & 53-53
	all day or overnight.
	7.5-13.2 for 2 hours.
Multiple Myelitis	Treat Adrenals
Multiple Sclerosis 69-	Treat Prostate
93-	D-Nervous Conditions
See also	Treat Liver
Mumps 29-	Liver, rate, 45-29, & with
29-39	Chloromycetin
29-29	Treat on 10-20
4-	Treat on Appendix
Muscular Dystrophy	Treat 1.5-41 (rate)
Muscular Strain	Treat 55-41; 40-31 when found
55-21.5, 40-21.5,	Treat $\frac{1}{2}$ hour on each and
& 77-21.5	repeat.
See also	STB-Strained Muscles
Muscular 22- or 77-	Treat Thymus
Muscle ache 68-41	Treat rate; 89-70 (2 mins.)
Muscles, weakness 31-2	Treat on Thymus
See also	T-Hernia

N

Nausea, with:	10-	Treat with Colmetanese
	15-	Treat on Kidney
	37-	Use Sodium Thiosulphate
, & Nervous		Treat 2-15 indefinitely
Tension		to reduce
Nematodes	2-100	Treat Liver; Colon Wall
	39- 89	Pancreas; with Santicol
	3- 73	57-7; 3-82; Vioform;Oxbile
	63- 84	For colon & heart conditions
		(possibly as a result of
		worms &/or Nematodes?)
		14-64 reduces all nematodes
		Treat on 15-42 also for all
Nerves		25-25 (most important, to
		calm nerves), 25-90,25-85
sharp shooting pain		Treat 30.5-11 to stop it
Nervous Conditions (D)		Look for and Treat 10-81
		and Pineal trouble.
See also		T-Hypo-& Hyper-tonicity
Nervous exhaustion		See T-Mononucleosis
Nervous tension		26-31 to "unwind"
& nausea		2-15 indefinitely
See also		D-14; T-Tension
Nickel Poison	41-	92-83; 92-82, then 41-25,
		then 41-41
		Use Sodium Thiosulphate
	17-41	Treat 10-1 indefinitely
See also		T-Poison
Nitrous Oxide	88-	Treat 88- in location
Nicotine poisoning		Should have no more than
	12-38	20 points, try treating
		on Lungs.
See also		T-Tobacco; T-Poison
Nose (D)		Check & treat in -97:
		60-,58-,30-,81-,34-, 8-
, stopped up		5-91 clears it

Operation, minor
Ovaries -22, 3-54

4-46 is good healing rate
If Pineal & Ovaries are
low, it's ok to treat on
Ovaries for vitality $\frac{1}{2}$ hr.
If Ovaries, & Thymus low,
but Pineal is High, DO NOT
TREAT Ovaries: causes Cancer
Treat 10 minutes for Leukemia
and 30-50.
For Cancer, Parathion: treat
a maximum of 5 minutes.
Treat 30-50 very slowly.
See T-Menstrual Cramps

Transverse rate
(54-3)

30-, 34-, & 8- in -26

P

Pain

Super Anahist tablets reduce
pain all over.

Treat 31- in location
8-97 increases, eliminates
pain; 7-48 increases,
reduces pain; 34-34

, Labor 79.5-91, &
79.5-11

Treat 79.5-11

, sharp shooting,
in nerves

Treat 30.5-11

, 20-90

20-90 brings down pain

Palm Disease

Inject tree with Chloromy-
cetin to prevent (C)

Pancreas, 6-4

Treat rate a maximum of 5
mins. for protein
consumption.

, 43-53

Treat rate a maximum of
30 minutes.

See also

TO-Pancreas

Parathion 30-50, 8.5-48
(D)

5 mins. maximum on:
30-50, 8.5-48, & 54-3
16-25; 37-94; 4.75-3.25,
with 3-54.

See also

T-Ovaries & Poison; Tm5

E-17

Pernicious Anemia	See T-Anemia, pernicious
Perspire, inability to	86-85 & 39-89 (incr.) (C)
Phlebitis	See STB-Phlebitis
Phlegm 5-37	59-77; 45-29; with Wheat Germ
Pneumonia (D) 4-	4-9 overnight; 3-8; 2-76 to stimulate blood flow to Lungs
4- with 84-	Use Colmetanose
2-, virus --	Use Sodium Thiosulphate
Polio (D)	Look for 2-,3-,14- in -41,-27,-50.5. Treat rates where found. Use High C; Vit.D; Sodium Thiosulphate; Auromycin
2-,3-,14- (in general & locations mentioned above)	With Luty's #29; Kidneys, possibly combined with Luty's #29.
14-27, 14-52, & 14-21	Treat with Auromycin
3-27, 3-25, 3-50, & 3-50.5	Treat with High C
2-27, & 2-56	Treat with Sodium Thiosulphate
One procedure:	1. Sodium Thiosulphate, Auromycin, High C for 1 hr. 2. Kidneys for 1 hour. 3. Alternate until no reading is found in muscle.
Other procedures:	6-29 & 33-51 to reduce Bayer Aspirin is associated with 2-, 3-, 14-. 7.5-29 goes up when treated 10 minutes, reduces -- Try 3-73; "Scorbs" STB-Polio, D-Arsenic
See also	10-6.5; 91-31; 3-8.5; 4-69; 3.5-5; 3.5-4; 23-82; 3-25; 4.5-12.5; 29-29; 2.5-24; 11-21.5; 16-12 (incr); 16-21 (incr); 24-29 (incr)
Poisons (D)	2.5-4 from radishes 2-1.5 (incr) from Parsley

(continued p. 159)

Poisons (cont'd.)	7.5-3.5 detoxifies
, in vegetables & people	Treat 2.33-1.66; 2.5-1.66
, 17-	Treat 43-53; 17-17
, check 57-	Thymus; 18-36; Colmetanese
, 12-38, 5-, 35-, 30.5-, & diarrhea	Treat 12-38 then 45-29
to eliminate a lot of --, treat on:	3-9; 16-25; 3-82; 17-29; 45-29; 12-83(? Note calls this Lungs. 92-83 is DD rate for Lungs, seems more likely with note in error.)
, various kinds	7.5-29 goes up when treated 10 minutes. Brings poison down slowly & they stay down.
Specific Poisons	Treatments are incomplete. "etc."=see T- for that poison
Arsenic	5-2.5; 2-81; 7.5-29; etc.
Lindane	13-64; 37-94; 7.5-29; etc.
Malathion 18-36	18-36; 2-87
Metallic -- & Drugs	10-1 indefinitely until all are eliminated
Nickel	43-53; Lungs
Parathion (D)	92-83; 7.5-29; 10-1; 92-88; etc.
Ptomaine --	37-94; 16-25; 7.5-29; etc.
Tobacco -- 55-53	One tablespoon of Apple Cider Vinegar in $\frac{1}{2}$ glass H2O is good. (1 dose usually) (C)
Poison Ivy 2-85, 2-29	6.5- in location; 92-83; etc.
Prostate (T 5-91)	Treat rates, 45-29; Pancreas
Protein, consumption	Treat rate; 45-29; 2.5-26
, digestion	increases --, decreases
Ptomaine poisoning	Gastric ulcer.
Pyorrhoea 60-12,	6-4 for a maximum of 5 mins.
9-25 (fungus)	45-29, See D-HCl
	See T-Poison
	2-25 "seems to work better than anything else"

QR

- Reducing 36-35 for 15 minutes;
6-81 for 30 minutes.
Also ~~Test~~ 8-72.
See also T-Weight; STB-Weight Control
For various rates that reduce other rates see
the Alphabetical List under "Reduces".
Redwood factor 17-29 will raise it.
Rheumatic Fever 68- Bufferin for 68-s; 68-41;
with Vitamin D
See also T-Flu
Ricketts 68-71 Treat rate
Roundworms 39-89 9-70; with Santicol
See also T-Nematodes; T-Worms

S

- Sarcoma 58- 59-77; 5-91; with M
Substance (Tm3)
Salt Test 82-37 for quantity,
if above vitality, remove
salt from diet.
See also T-Sodium Chloride
Scar Tissue 13- Treat on Kidneys
Shock (D) 3-9 for 15 minutes, 2-76
for 15 minutes. Repeat
until patient begins to
come out of it, then
look for causes!
Shoulders & neck 38-12 11.5-48.5 relaxes tightness
Sinus (D) 10-20 seems to clear --
, burning 18-33, 18-3, 18-51, 14.5-37
, running 23-8; 43-53; 6-81
Shoulder pain, pleura 6-81; 43-53; 63-91

Skin (D)	Treat 9-70; 4-95; 43-53 a maximum of 30 minutes.
	For skin (all increase):
	9-2.5; 12.5-21; 30-24;
	6.5-12.5; 51-85; 34-85;
	42.5-51-85 helps skin
	4-8 helps & softens skin
	For skin: 75-69; 4-92; 6-3;
	10-29; 9.5-10.5; 16-85;
	2-14.5 from avocado
	20-23.5 from B-Paya
	6.75-2.5 from gelatine
	16-11 from yogurt
	16.5-22.5 lecithin
	5.5-12 oxalic acid from Spinach
	51-85 possibly oxalic acid
	70-35 Paris Green
, creapy	3.5-2.5, from cabbage, eliminates it
, dry	16-85; 44-41 eliminates it
7.5-0.5	Treat 17.5-45 (increases)
, firms -- & breasts	34-85 (increases)
, itchy	Reduced by 11-4
, loose skin	34-25 (increases) firms it.
, knots in skin	Reduced by 7.5-13.5
, scaly skin 30-85	Treat 4-17 (rate becomes 88-6
7-81	Reduced by 8-92 (increases)
, 91-31	Treat rate, DO NOT OVERTREAT
Smallpox vaccination	Treat on rates listed, in
97- in -23, -29, -85, -49,	rotation, for 15 minutes.
Smut from tree scanned	Treat 7-23, brings down
Dec. 10, 1954	16-13 & 7-23 goes up.
Sneezes	Helped by 42.5-51-85; 6-81
Sniffles	Treat Kidneys
Sodium Chloride	To balance, treat 45-29
	Treat 18-29; 42-45
	Possibly treat 5-70: NaCl
	imbalances are apparently
	associated with sugar
	imbalance.

(continued on p. 162)

Sodium Chloride (cont'd)
 , in excess 37-
 See also Use Sodium Thiosulphate
 D-Diabetes; D-Chemical
 Make-up Changes; T-Salt
 59-77,45-29, & Wheat Germ
 45-29; Chloromycetin
 Treat 5-31

Sore Throat 5-37
 84-
 , heavy phlegm
 See also D-Sore Throat
 58-95 & 81-80

Spasms
 See also T-Allergy

Staphylococcus 2-34
 34-,35-, & 52.5-
 See also Treat 15-34,14-64
 Liver; Vitamin D; 36-35
 D-Growths

Stings (insect) 55-,
 40-,72-,in -85
 Treat rates, also 43-53,
 45-29, 16-25

Stinging
 See also Use Auromycin

Stomach,
 D-Burning & itching (24.5-)
 Reduced by 12-82; 8-96 (incr)
 Treat 5-78 first, then 58-85,
 then 14.5-23, 14.5-27,
 14.5-32, 14.5-96

 , ache
 See Tm8

 , cramps 47-32
 Treat 2 hours on 43-32
 See T-Cramps; T-Food
 Poisoning

 , ulcers
 See T-Ulcer

Streptococcus
 3.75-2.5; to reduce, balance
 NaCl & Acid/Alkaline
 Kidney; with Auromycin

 , 15-,60-
 D-Growths

 See also 6-81 & rates that are still
 high (listed in D-Styes)

Styes -79
 D-Styes; STB-Eyes

Sub-mucous infections
 Sugar 5-70
 Treat rates: 3-3,8-3, 34-3
 Treat 45-29 & 36-35 until
 5-70 stays at 0.
 18-29 for sugar & salt in
 left lobe of Liver.

 See also D-Diabetes; T-Salt; T-Low
 Blood Sugar

Sunburn 71-85,72-85
 9-70; 72-,55-,40- in -85

 See also STB-Burns

Syphilis 20-
 20-55; 20-50

I

- Tantrums 30-28, 81-28, & 58-28 Rates cause nervousness & frustration, can lead to insanity. Treat rates and Prostate.
- See also STB-Mental Disorders;
D-Nervous Conditions
- Tapeworm 3-73 57-7; 3-82; Oxbile; Vioform
- Teeth, loose May be caused by Nickel poison. Treat 17.5-41 (C)
- Tension Treat 20.5-2,5 10 to 15 mins. to lower.
- See also T-Nervous Tension, T-Migraine
- Thyroid (TO) 4-23 Treat Appendix
, toxic 81-92 Treat rate
- Tic 41.5-41.5 (can leave all night)
- Tobacco poison 12- Treat 12-38
6.5- in location; 92-83
- See also T-Poison; T-Nicotine poison
- Toxicity 53- Treat Adrenals; 47-16.5
- Toxic rates: When found, treat on rate
- 60-29
 - 58-95; 81-80 Spasms
 - 10-81
 - 43- 3 Allergy indigestion
(raised by Benzoate of soda)
 - 36-41 Muscular Tic
 - 36-43 Hiccups
 - 31- 2 Muscular weakness
 - 3-76 Alcohol
- Trench mouth 86- Treat on Spleen
- Trypsin 6-4 (associated Note unclear; probably
with 4-6, 45-29; treat 45-29, 4-6 & 6-4 being
also Malaria & 38-12) rates for Trypsin. ??
See also TO-Pancreas, sugar-free part
- Tuberculosis 42-, 15-42, With M Substance (Tm3);
& 42-45 Proginon; or. Wheat Germ
on 15-42;
2-76 to stimulate blood
flow to Lungs.
3-9; Anterior Pituitary
D-5, 6, 7, 23; D-Tuberculosis;
D-Lung conditions
- See also

Tumors (D) 58-	18-16, 61- x to reduce tumors; (C) found they generally go down after treating out Nickel.
, in face	58-14; 55-91
, fatty --	Reduced by 7.5-13.5
, fibroid --	Respond faster if you treat Staph out.
, in flesh	Reduced by 7.5-13.2
, knots under skin	Reduced by 7.5-13.5
, uterine	Reduced by 30-81, 58-81, 88-81
Twitch 36-41	Treat rate indefinitely
, in eyes 12.5-12	Treat on 1.5-3.5
See also	T-Tic; T-Toxic rates
Typhoid 4-23	3-8; 4-23 to lower
See also	Tm6; D-Malaria

U

Ulceration	Key rate is 72-81
	Treat 14-64
8-54	45-71 clears it up
& pain	66-66, other rates won't come down til this does.
8-, 23-	Liver or with Vitamin D
See also	D-Nervous Conditions;
	D-Burns; T-Ulcers
Ulcers, duodenal	Treat on 92-32
, gastric 92-32	In developmental stages, this rate shows up. After ulcers become acute or perforate, 8- & 34- show up. Treat 92-32.
(C)'s procedure	1) 72-70 to reduce HCl
	2) 5-78 to clear acidity
	3) 92-72 for ulcer (rate)
92-25	5-91 for 15 to 30 minutes
92-71	Treat with B-Paya
(mouth) 92-12	5-91 for 15 to 30 minutes

(continued on p. 165)

Ulcers (cont'd)	
, mouth	Treat on 92-32
, peptic	Treat Prostate
, stomach	Treat Prostate
See also	T-Ulceration; STB-Excess HCl; D-Burns; D-Nervous Conditions; T-HydroChloric Acid
Undulant Fever 57-	Use Colmetanese, check 10-51 & treat if present
10-65	Treat on 45-29; 81-23.5
18-	Use Chloromycetin
51-	Use M Substance (Tm3)
For all listed rates:	Treat Causes:
10-, 33-, 59-, 60-,	a. Underfunctioning Liver-
57- (causes heart	Treat 17-29 & 45-29
problems), 51- (8-,	b. Deficient Vit. D-
34-, 43- found with it)	89-70 a max. of 2 mins.
	c. Treat with Colmetanese
Uremic Poisoning (D)	5-91 for up to an hour.
Urinary Bladder, 13-37	Treat rate, also with garlic & chlorophyll; 3-82
infection 13-13	4-95; 8-96 (increases), reduces HCl reading.
sense of fullness	Treat 13-13 to relieve
in stubborn cases	Try 2-34; 20-62; 60-87; 47-13; 58-13; 13-13

V

Varicose Veins, caused by Strep: 8-, 34-, 60- in -71, -97	Use Vitamin D, 17-29, and Auromycin
Virus Encephalitis 2-	Use Sodium Thiosulphate
Virus Pneumonia 2-	Use Sodium Thiosulphate
Virus 20.5-	See T-Leukocyte destroyer
Virus 56-	See T & STB-Bovine Virus
Virus X 48-	3-82; Sodium Thiosulphate
See also	DDT; T-DDT; STB-Virus X

Vitality (D) To raise: 20-90; 6-61; 52-51
 Treat 3-9 for 15 to 30 mins.
 if lower than 9-49
 See also D-Vitality; T & TO-Ovaries
 for special instances &
 conditions of treatment.
 Vitamin D deficiency Treat 89-70 for a maximum
 of 2 minutes.
 Vomiting, in virus Stopped by taking 1 Tbsp
 condition of Apple Cider Vinegar in
 $\frac{1}{2}$ glass of water (C).

W

Weight Control: 12.5-31.5;
 possibly 62-84
 For --: 2.5-20.5; 46-87;
 23-8 (increases)
 Loss: 5.5-98.5; try 4-6;
 11-21; 3-54 until = or
 higher than 9-49, then
 4.75-3.25 (C)
 To reduce: 73-71; 3-6;
 4.75-3.25 (1 hr. or so)
 or 12.5-31.5 (5 mins.) (C)
 See also STB-Weight Control;
 D-Weight
 M Substance (Tm3) all night
 for 87-
 Sodium Thiosulphate for 2-,
 takes several days.
 Whooping Cough 87- & Liver; Colon Wall
 2-, in -16, -71.5 3-82
 9-70;
 Worms, Hook 2-100 57-7; 3-82; Oxbile; Vioform
 , Rectum 2-100 Clove of Garlic in well
 , Round 39-89 with specimen
 , Tape 3-73
 , in cats
 See also T-Nematodes; T for specific
 worm.

E-26

TREATMENT NOTES--NUMERICAL ORDER

This is only a brief and general compilation. Check in the Numerical List for the conditions represented by these numbers. Then check the particular condition in the Treatment Notes for a more thorough and complete treatment. You might also check in the Alphabetical List for further DD rates.

- 2- Treat with Sodium Thiosulphate unless patient shows an excess of Sodium.
- 3- Treat with Vitamins C and D
- 4- Treat on Appendix; Bile Salts are indicated (Tm6). Try Oxbile
- 5- Treat on Thymus
- 5.5- Treat on 24-29 (increases); 16-77; 16-27.
- 6- Treat on 6-23
- 7- Treat on Prostate
- 8- Treat with Vit. D; on Liver; 45-29
- 8.5- Treat on 16-25
- 9- Try treating with Chloromycetin
- 10- Treat with Colmetanese
- 12- Treat on 12-38
- 13- Treat on Kidney or with Proginon
- 14- Treat on Kidney or with Auromycin
- 14.5- Treat 5-91; 72-81; 58-85
- 15- Treat on Kidney or with Auromycin
- 16- Treat on 16-77
- 17- Treat on 17-17; 43-53
- 18- Treat with Chloromycetin
- 19.5- Responds to Santicol, Garlic
- 20- Treat 20-55; or 20- in location
- 20.5- Treat on Liver; or with M Substance (Tm3)
- 22- Treat 22- in location until it disappears. DO NOT OVERTREAT.
- 23- Treat with M Substance (Tm3)
- 24- Treat on 39-8.5
- 24.5- Treat with Auromycin
- 25- Treat on 25-62
- 26- Treat Alkalinity for $\frac{1}{2}$ min. until 26-41 and 34-84 are balanced or even.
- 29- Treat on 10-29 to reduce

- 30- Treat on 59-77 & 5-91; or with M Substance
- 30.5- Treat on Thymus
- 31- Treat 31- in location; 24-66
- 32- Treat with High C
- 33- Treat with Colmetanese
- 34- Treat on Liver or with Vitamin D or Aurio-
- 36- Treat on Prostate mycin.
- 37- Treat with Sodium Thiosulphate
- 38- Treat on Liver or High C or with C. D.
- 39- Treat on Kidney; or with Vioform
- 40- Treat on 40-91
- 41- Treat on Lungs or with Sodium Thiosulphate
- 42- Treat on 3-9 or with M Substance (Tm3)
or Proginon; 45-29
- 45- Treat on Spleen; 14.5-9; 11.5-6
- 46- Treat on 3.5-12.5; 2.5-4.5; 11-7
- 47- Treat with B Paya; 47-13
- 48- Treat on 3-82; with Sodium Thiosulphate
- 49- Goes up when treated. Treat with CAUTION
- 49.5- Treat on 4.5-28.5; 49.5-2.5 (increases)
- 51- Treat with M Substance (Tm3)
- 52- Treat on Duodenum or on 14-52
- 53- Treat on Adrenals
- 54- DO NOT TREAT
- 56- Treat with M Substance (Tm3)
- 57- Treat with Colmetanese
- 58- Treat on 59-77 & 5-91; or with M Substance
(Tm3); 18-61; 61- in location
- 60- Treat with Auromycin
- 62- Treat on Liver or with Oxbile
- 65- Treat on Liver
- 68- Treat with Vit. D or on 68-41; 3-39; 33-39
- 69- Treat on Adrenals
- 75- Treat on 95-66
- 76- Balance Acid/Alkaline relationship or
treat with Vitamin C
- 77- Treat on 77- in location. DO NOT OVERTREAT
- 80- Treat on 3-80
- 81- Treat on Thymus or Prostate
- 82- Treat on Thyroid
- 84- Treat with Colmetanese

- 85- Treat on 2-85
- 86- Treat on Spleen
- 87- Treat with M Substance (Tm3); 6-81 plus
3 or 4 Iodine Rations (rate may be 6-8)
- 88- Treat 88- in location
- 92- Treat on Prostate
- 93- Treat on Prostate; with Vitamin A
- 96 Treat on 96- in location
- 98- Do not treat on this rate until after
all infection have been treated out.
See T-Building Rates.

© Dr. T. Galen Hieronymus

E-29

© T. Galen Hieronymus 1976