

6. Bile salts are an effective treatment for any colon condition or for any of the transmutations of the basic B. Coli (4-) as no self-respecting bug or worm will stay where there is enough bile. If the colon condition clears up, the constriction will leave and a general clearing of the condition will result. (see Specific Substances list for the specific conditions which respond to Bile Salts & Oxbile.)
7. Treat -6, -21, -96 first; other conditions will often disappear.
8. Kidneys--Headaches
Thymus---Stomach aches
B Paya---For both to finish up on.
9. A reagent using the Air plant is made as follows:
Before blooming, trim a six inch piece of stalk, strip leaves and slice thin like cucumber.
(See Specific Substances for uses)

SPECIAL TREATMENT BULLETINS

ASTHMA

Asthma is a result rather than a cause. The general rate for Asthma (2-29) and that of Neurasthenia (3-23) will always be found; however, both of these rates may also be found in most nervous conditions and should not be considered as an indication of Asthma.

Almost any of the listed infections may be found in the lungs during an attack of Asthma, but the one most often found is the No. 2 virus found in Virus Pneumonia. Check for it in the larynx (2-16), thorax (2-53), lower lungs (2-74), bronchiaia (2-83), upper lungs (2-93), and in the Thymus (2-77).

Look also in these same locations for the No. 3 virus (e.g., 3-16, 3-53, etc.), the No. 4 Bacillus' (e.g., 4-16, 4-53, etc.), and No. 84-(e.g., 84-16, 84-53, etc.).

In stubborn cases of Asthma, the highest intensity of the infections may be found in the Thymus, e.g., 2-77, 4-77, 60-77, 34-77, 51-77, 53-77, and 57-77.

Check these same infections in the heart, location rate -70.

Check also for these infections in the cecum, location rate -60, and in the colon, location rate -90.

See also T-Asthma

BOVINE VIRUS

Bovine, or Milk, Virus is a condition that was particularly prevalent in 1948. In the less acute cases it produces a digestive disturbance. It can lie dormant for long periods and, when conditions are right, it can flare up into acute cases producing gastric ulcer, diarrhea, symptoms of food poisoning, etc.

It attacks newborn babies and grandparents alike. We are of the opinion that it originates in milk and some milk products. We have found it in canned milk, even in the canned milk formula prepared especially for young babies. To find it, set the left hand dial at 56- and the right hand dial at first one location then another.

In chronic cases, it may be found in the stomach and colon, e.g.: 56-32, 56-84, 56-60, 56-82, 56-90.

In acute cases, it may be found in: 56-29 (liver), 56-23 (kidneys), 56-17 (lymphatics), 56-44 (lymph nodes), 56-95 (spleen), etc.

It responds well to treatment on these same rates, but it should be treated until all evidence of it is gone, otherwise it may flare up again.

To treat cans of baby formula, plug in the collector and place the cans on the collector, set the dials at 56-56 and treat 5 to 10 minutes, or until no reaction is obtained when the cans alone are checked for the rate 56-56.

See also T-Bovine Virus

BURNS

Burns generally are the most painful of the minor injuries and have often been fatal. If the victim can be treated properly and soon enough, the duration of the pain and the length of time for healing can be reduced. If the patient is fortunate enough to get immediate treatment, it is often possible to avoid all blisters even in quite severe cases. A bad case of sunburn can often have all the sting removed and blisters avoided if treated soon enough.

Two and sometimes three tissues are generally involved: the epiderma (-85), the nerve endings (-91), and the subcutaneous tissues (-42).

In these locations you should look for 71- (burn rate), 55- (inflammation), and 40- (congestion).

Treat with the dials set at 71-85, 71-91, 71-42, 55-85, 55-91, 55-42, 40-85, 40-91, 40-42.

It has been found that people whose Pancreas (-9-70) is high and functioning well will not sunburn easily, but will tan instead. Please check this and see if your findings verify this observation.

See also STB-Excess HCl, and Diagnostic Notes for Burns, Chemical Make-up Changes, and Nervous Conditions.

COMMON COLD AND FLU

There are dozens of different causes of colds and flu, each requiring a different treatment; hence the abundance of different means and methods of treatment on the market, and their rather erratic effectiveness. Each different cause of flu or cold produces different symptoms: some a watery discharge, others a heavy mucous, or swelling of the mucous membrane, or a dry burning sensation; some are accompanied by fever and others by aching muscles.

The outstanding characteristic common to all is inflammation of the mucous membranes, found at 55-51.

To determine the cause in all such cases, it is almost necessary to employ the single dial method of analysis in which the infection or condition will be found on the left hand dial and the location on the right hand dial.

The more common causes and accompanying symptoms are:

- 3- Heavy mucous
- 5- Jelly-like mucous and swelling
- 32- Watery discharge
- 34- Pain
- 38- Flu
- 46- Nausea, vertigo and swelling
- 48- Swelling
- 64- Watery discharge
- 68- Aching muscles and congestion
- 76- Watery discharge

The locations more commonly involved are:

- 3 Frontal Sinuses
- 9 Turbinates
- 17 Lymphatics
- 19 Conjunctiva
- 31 Connective tissue
- 33 Maxillary sinuses
- 36 Postnasal area

Common Cold & Flu (cont'd)

- 37 Throat
- 41 Muscle
- 44 Lymph Nodes
- 48 Posterior to Turbinates
- 51 Mucous membranes
- 59 Salivary glands
- 68 Inner ear
- 69 Eustachian tubes

A condition which was epidemic in Kansas City was found at 46-. A typical case showed symptoms as follows: sore throat, vertigo, ringing in the ears, vomiting, fever, and irritation of the eyes. These rates were found and treated: 46-37, 46-51, 46-32, 46-68, 46-19, 46-9, 46-23, and 46-95. In some cases, more than one condition may be found in the same locations.

See also D-Nose, D-Sinus & cold, and Treatment Notes under the various symptoms as well as Colds, Flu, & EEE.

CONSTIPATION

From data and comments given by various doctors the following brief suggestions can be made.

Excellent results have been obtained on simpler cases of constipation by treating on 9-70 (Pancreas), 13-64 (Gall Bladder), and 8-72 (Colon Wall). The length and frequency of treatment must be determined by the doctor in each individual case; however, a five-minute treatment on each of these rates seems to be producing desirable results. (With older types of instruments the treatment time may have to be increased.)

As a supplement, you might have your patients drink one or two glasses of warm water each morning upon arising. For best results use an exact pint of water as hot as can be taken, to which has been added an exact measuring teaspoon full of salt. There are, of course, more serious cases of constipation which will require a careful study before attempting treatment. Such cases should be completely analyzed on the instrument and a careful diagnosis made.

See also T-Constipation

EXCESS HCL

Hydrogen Chloride, or HCl, is normal to certain parts of the body but, like B. Coli and some other things, when in excess or when it gets into the wrong places, it may cause much trouble.

A normal amount in the stomach (7-32) is necessary to digest proteins, but an excess amount seems to be a contributory cause of stomach ulcers (92-32) or duodenal ulcers (92-52).

Where an excessive amount of HCl (72-) is found in any of the tissues of the body, such tissues are apparently burned as indicated by finding the burn rate (71-) and seems to produce an ideal media for bacteria to develop.

In a recent case, it seemed to be impossible to permanently eliminate infections from the liver, pancreas, and colon until the HCl and burn rates were eliminated from those locations.

HCl and attendant burns have been found in many parts of the body, and wherever infection seems to persist, look for the HCl (72-) and burn (71-) rates and eliminate them by treating on them wherever found. No tissues or parts of the body seem to be immune.

In all of the cases so far analyzed, where the HCl and burns were found, there was a definite hypertonicity of the adrenals (22-46) and it was necessary to correct this by treating 22-46 to prevent a recurrence of the HCl and its attendant burns.

See also D-HCl, D-Burns, and D-Nervous Conditions

EYES

Eyeball = -18

Conjunctiva = -19

Eyelid = -79

Cornea = -33.5

Rod portion of Retina = -11.5 (7- in this area
(or may be lense) caused a spot.)

Optic Chiasma = -22.5

Case: Looking at a surface several feet away, there was a blurred spot about 3/4 inches in diameter directly in the center of the area looked at while the area around was much more distinct. Found 7-, 42-, and 89- in the -11.5 area. Treated 30 minutes on 7-11.5, 42-11.5, 89-11.5, and the blurred spot disappeared.

Case: An ulcer of the Cornea was visible. Eye specialists recommended surgery. Found 34-, 8-, and 55- in the -33.5 area. Treated 34-33.5, 8-33.5, and 55-33.5. Got relief after third day of treatment. Complete recovery.

Case: Cataract. Found 42-, 7-, and 13-. Responded.

Case: Itching and burning. Found 24.5- in -19. Responded.

Case: Watery eyes. Found 38- in -19. Responded.

Case: Styes. Found 34-, 8-, and 55- in -79. Responded.

See also D-Burning & itching, D-Eyes, T-Eyes, D-Styes, and T-Styes

FEVER

In the past, one of the most difficult tasks which confronted the doctor was to determine the cause of fever. This task is not nearly so difficult with use of our instrument, as our doctors tell us that in many cases involving fever, the basic infection may be found in the spleen.

The procedure is to set the right hand tuning dial on your analyzer at -95 (spleen), then set the left hand tuning dial for first one, then another of various infections, testing each until one or more infections are found that give fairly high readings as measured on the intensity dial. The single dial settings for some of these infections are: 2- Virus Pneumonia; 4- Malaria; 10- Undulant Fever; 14- Meningococcus; 38- Flu; 42- Tuberculosis; 48- DDT (Virus X); 68- Flu or Grippe. As an example, Virus X in the spleen may be found by setting the tuning dials at 48-95. Undulant Fever in the spleen would be at 10-95.

After you have looked for all of the usual infections and do not find any which show high readings of intensity, then try the following:

1. Set the right hand tuning dial at 95.
2. Set the intensity dial at some value above the vitality reading.
3. While trying for a reaction on the plate, slowly rotate the left hand tuning dial from "0" up until a reaction is noted.
4. Leave the dial at the point where the reaction was noted and measure the intensity.
5. Reset the intensity dial as in #2.
6. Continue around the left hand dial until all points have been measured where a reaction is found.
7. Each of these points on the left hand dial, except for a few, will represent an infection of some kind, and since they are fairly high in intensity you should look for them in other parts of the body.

See also T-Fever

FIBROSIS

No organ of the body can be expected to function properly if fibrous tissue is present to inhibit its action. The general rate for fibrosis is 51-81. However, use of this rate does not disclose the exact location, and the amount or intensity found is of no real value until the exact location of the fibrosis has been determined.

Set the left hand dial at 81 and determine the exact location by setting the right hand dial at various positions until the fibrosis is definitely located.

In a recent case, x-ray and a barium enema showed constriction of the descending colon and ballooning of the ascending colon. Tests with our instrument showed fibrosis of the splenic flexure (81-80), the descending colon (81-90), and the ileocaecal valve (81-8). Fibrosis was also found in the bile duct (81-23.5). The x-ray also showed the gall bladder to be somewhat enlarged and ptosed and our tests showed the gall bladder too low in function (13-64) and anemic (50-35). Obviously, these conditions would produce a toxicity of the entire body.

In another case where the patient had been treated extensively for anemia, the Electro Biometer disclosed that the blood picture was not deficient but that there was fibrosis of the stomach (81-32), descending colon (81-90), cecum (81-60), and hepatic Flexure(81-78). An exploratory operation was performed. The blood count made in the laboratory just before the operation showed the hemoglobin to be above normal probably on account of the excessive treatment for an anemia that did not exist. The operation revealed rope-like fibrosis encircling and distorting the normal shape and position of the above mentioned organs.

We are of the opinion that more attention should be given to such basic conditions as this as well as to the treatment of the diseases found.

(continued on p. 193)

Treatment on the same rates listed above should dissolve fibrous tissues. Since plenty of time was taken in their growth, plenty of time should be allowed by the patient for their entire elimination, to do the job permanently.

See also T-Fibrosis and D-Growths

Hay Fever, Rose Fever, and similar terms have been used to describe what the layman thinks of as separate or different kinds of disease, but which are in reality just the specific aggravating medium which seems to produce the same symptoms, i.e., a running sinus and weeping eyes.

The basic cause comes in at 85- on the left hand dial. It is the Poison Ivy rate (2-85) which might better be termed allergy rate so as to be all-inclusive, since the skin eruption known as Poison Ivy is only one form of manifestation. In Hay Fever the symptoms indicate the involvement of the sinus and eyes. Look for it in the following places: 85-51 (mucous membrane), 85-31 (connective tissue), 85-33 (sinus), 85-3 (frontal sinus), 85-9 (turbinates), 85-64.5 (cribriform area), 85-19 (conjunctiva), 85-79 (eyelids), 85-64 (lacrimal ducts), 85-68 (eustachian tubes), 85-39 (parotid gland), 85-59 (salivary glands).

Oftentimes, secondary infections will accompany the 85- rate. This is especially true of the infection rates 32-, 64-, and 76- which produce a watery mucous. After checking for the 85- rate in the above list of locations, look for these three additional infections in the same locations; e.g., 85-51, 32-51, 64-51, 76-51 (the infections in the mucous membranes), etc.

Usually in conjunction with all allergies and skin conditions, the hepatic flexure of the colon will be involved. Look for the 85- infection in the hepatic flexure by checking 85-78.

See also T-Hay Fever and STB-Tissue Tonicity

HEART TROUBLE

One of the most common forms of heart trouble is the infected heart where there are no physical defects or abnormalities. In most of such cases the infection will be found in both the heart and the splenic flexure of the colon. We believe there is a direct reflex between the two locations.

The infections most often found, especially in cases of tachycardia or irregular heart, are B. Coli and Flu. They may be found by testing with the dials set for 62-70 (B. Coli in Heart), 62-80 (B. Coli in Splenic Flexure), or 38-70 (Flu in Heart) and 38-80 (Flu in the Splenic Flexure).

In extreme conditions where there is great weakness or collapse, as in an acute heart attack, you may find either or both of these two viruses: 53- and 57-. Test for them with the dials set at 53-70, 53-80, and 57-70, 57-80. In cases of this kind, be sure to look for these viruses also in the liver (53-29 & 57-29), in the kidneys (53-23 & 57-23), and in the spleen (53-95 & 57-95).

Treat on all the above rates that are found on the analysis until a re-check shows them to be eliminated. If a recovery is not evident, look for other infections in the same locations.

See also D-Heart, T-Heart, and STB-Tissue Tonicity

HEMORRHAGE

STB

29-31 Hemorrhage rate)	These produce the
59-77 Thymus)	coagulation
86- 4 Parathyroid)	factor in the body.

Wherever there is hemorrhage, strep will be found. It is necessary to treat the strep as well as the three coagulation factor rates above.

In menstrual hemorrhage and menopausal hemorrhage, there are three rates always found: 81-26 (possibly fibrosis of the cervix).

8-26 (ulceration of the cervix), and

34-26 (Staph in the cervix).

60-26 (Strep in the cervix) is also probably found.

In either of these two types or causes of hemorrhage, treat with Auromycin or the 60-26 rate until the 60-26 reading is eliminated. If the 60-26 rate does not respond, look for poisons such as arsenic (14-52), nickel (17.5-41), aluminum (16-77), and DDT (48- in the location involved). Treat with Sodium Thiosulphate or on the rate to eliminate the metals and Sodium Iodide or the rate for the DDT. Then check again for the strep.

After the strep and all poisons are eliminated, treat sparingly on the three coagulation factor rates. If the patient is not a chronic bleeder, don't treat too long on the coagulation rates.

Case of Nose Bleed: Find 60-9 (strep in the turbinates) and probably inflammation (55-9), and congestion (40-9). Treat 60-9, 55-9, 40-9, then treat generally with Auromycin, then on 29-31, 59-77, and 86-4.

Case of Pregnancy hemorrhage at three months: Found 60-26, 81-26, 34-26, 8-26, also 18-26 (probably Brucillus Abortus in the Cervix). Used Vioform for the 18-26 and 18- in all other locations, Auromycin for the 60- in all locations, followed with rate treatments for 81-26, 34-26, and 8-26.

See also T- and D-Hemorrhage, D-Thymus, and
STB-Thymus

LOWER BACK PAINS

Lower back pains are sometimes of long standing and generally the usual adjustment produces only temporary relief. We know of such cases that had been treated surgically by the removal of teeth, tonsils, etc., but the condition was not finally alleviated.

In addition to the pain centering in the region of the sacrum, it is often radiated into the groin and down the back of the legs.

The seat of the infection generally is found in the region of the pelvic floor and may be located by setting the right hand dial at -96, whether in the male or female. Often in the male, the condition will come in at 30- on the left hand dial. Try also 34-96, 55-96, or 8-96. In the female, the condition often will be found to be 60-96, 8-96, and sometimes 23-96.

Our doctors tell us that they have had excellent results by treating six or eight minutes on each of the above listed rates as found. In cases which do not show definite relief after a few treatments, look for other infections in the same location, -96, or for infections in the spinal cord.

See also T-Coccyx, T-Pain, T-Aches, back

MENTAL DISORDERS

In cases ranging from violent insanity down to mild nervous disorders, the cause may often be found in the pineal gland and pituitary body.

In the violent insanity cases, look for hypertonicity (22-) in the pineal (22-28) and in the pituitary (22-87). Also with this condition may be found 30-28 and 30-87; 7-28 and 7-87; 58-28 and 58-87; 13-28 and 13-87; 81-28 and 81-87.

In the melancholia and nervous exhaustion cases, look for hypotonicity (77-) in both locations (77-28 and 77-87). With this condition the 30-s are seldom found; however, look for the rest of the rates listed above. Where there has been a prolonged personality problem one or more of the above listed rates may be found.

One recent case heard "voices" and thought everyone was talking about him, even the radio announcers to whom he listened. All of the above listed rates were found and after a week of treatment, the man's entire personality changed from one shunned by children and his dog to the sunny disposition of former days. His memory was restored to normal, where it had for some time been completely unreliable.

In cases of nervousness or hysteria, the following rates are usually found: 22-28; 22-46; 2-29; 3-23; 53-91.

See also D-Nervous Conditions, STB-Tissue Tonicity

PHLEBITIS

Phlebitis is defined as an inflammation of a vein. It is more than that. It is generally a streptococcic infection and usually attacks both veins and arteries much as an acid may attack aluminum.

In early stages there will generally be a strep infection (60-) in the arteries (-71) and in the veins (-97). Later where there is pain involved look for staph (34-) in these same locations.

In the ulcerative stages look for 8- and 51- in both those locations.

Where the ulcers break through or show, these same four conditions (60-, 34-, 8-, & 51-) may be found in the subcutaneous tissue (-42) and in the skin (-85).

It is well to look for these same four conditions in the kidneys (-23) and liver (-29). Treating on all of these rates found should alleviate the conditions.

POLIO

If the case is diagnosed during the initial fever stage before any paralysis has occurred, it is possible (so our doctors tell us) to successfully treat the case and avoid any damage.

In the true cases of Polio, these seems always to be three different viruses present. They come in at 2-, 3- and 14-. They are always found in the nerves, spinal cord, meneges, muscles, and the muscular response area of the brain. These locations are -11, -27, -50.5, -41, and -46, respectively.

To diagnose the case, set the left hand dial at 2- and the right hand dial at -11 and check for No. 2 Virus in the nerves. Next, set the dials at 2-27 to check for its presence. Continue to check 2-50.5, 2-41, 2-46. Next set the left hand dial for 3- in the same locations, e.g., 3-11, 3-27, 3-50.5, 3-41, 3-46. Check for the last virus (14-) by checking 14-11, 14-27, 14-50.5, 14-41, 14-46.

To treat the case, treat on the same rates until a re-check shows that all of the three infections are gone from the five locations. When there is fever, all three viruses will be found in the spleen; e.g., 2-95, 3-95, & 14-95. If nauseated, look for them in the stomach (-32). These three infections may be found in many other places, but the elimination of the infections in the first mentioned five locations will avoid the destruction of muscles and nerves. In more advanced cases it may require repeated treatments over several hours. You can only be sure by re-checking and treating until the fever breaks and the three viruses are eliminated. If paralysis has already started, the case will be slower in responding to treatment; however, paralysis can be arrested and further destruction avoided. The muscles and nerves can be stimulated by treating for not to exceed two minutes on 1-11 and 1-41 respectively. Longer than two minutes treatment on these two rates may result in nervousness.

See also T-Polio and D-Polio

THE SPLEEN

Too often disease such as a bacteria, virus, or poison, is considered to be, and is accordingly treated, as a cause, when in reality it is only a last outward effect and the real cause behind it is overlooked or not given any attention.

For example, we commonly hear the expression, "A skin puncture became infected", implying that everything was perfect until the skin puncture allowed the infection to enter. The doctor treats the infected scratch with a surface medication or gives penicillen or sulpha and if the wound shows evidence of healing up, he calls it cured and stops there. Another person may frequently have similar skin punctures without them ever becoming infected. Other people are chronically effected by boils, teeth infections, tonsilitis, etc. Why? What is back of the obvious result?

We believe that the functional activity of the spleen is back of many of these tendencies, causing the patient to be either the chronic victim of infections or to be immune to them. We believe that the improper functional activity of the spleen is in itself often a result of disorder within it.

In such cases of improperly functioning spleens, we have found one or more of the following conditions in the spleen (-95): Carcinoma (30-); Sarcoma (58-); Fibrosis (81-); Scar tissue (13-); Calcification (7-); Staphylococcus (34-); and Ulceration (8-).

Permanent results in relieving the patient of recurring general infections will seldom be obtained and often a specific case of infection will fail to respond to treatment until these basic conditions in the spleen have been eliminated.

See also TO list for other conditions aided by treatment of Spleen.

STRAINED MUSCLES

Especially in the first mild days of spring, strained muscles can be a problem. Ambitions may extend well beyond physical abilities and thus a day of gardening, or baseball, will leave a person sore from head to toe, or with a feeling of toothache in the muscles, and miserable.

Analysis on the Biometer will show inflammation (55-) and congestion (40-) in the muscles (-41) and connective tissue (-31). Treat on 55-41, 55-31, and 40-31 for five to ten minutes and then repeat the list until the soreness is relieved.

In one case, a woman who was used to wearing fairly high heels, went to the seashore and walked about two miles barefoot in the sand. Result: strained muscles and tendons in the legs and soreness. Treatment as above described gave complete relief in a short time.

Refer to STB-Burns as your patient may have been over-exposed to the sun and you may have to treat for sunburn in addition to the sore muscles.

See also T-Muscles, strained

THE THYMUS

Too little is actually known about the thymus in its relation to disease. We do know, however, that it directly influences the platelet count of the blood, and we are of the opinion that it has other secretory activity that is directly associated with the healing of wounds and the elimination of disease.

The theory as stated in standard medical texts that the thymus influences the development of the sex organs and atrophies after adolescence is not entirely true. In all young people who seem to be fairly free from disease and whose cuts and scratches heal without festering or becoming otherwise infected, the thymus will be found to be healthy and itself free from disease. In those cases of children who are subject to frequent colds, festering scratches, and other infections, the thymus is often found to be diseased.

In older people who act and feel much younger than their years, the thymus will be found to be active and free from disease. Conversely, those people whose thymus is sluggish or diseased, will seem to be older than their actual years.

Some of the conditions that should be looked for are 5-77 (diphtheritic or swelling in the thymus); 30-77 (carcinoma of the thymus); 34-77 (staph in the thymus); 58-77 (sarcoma in the thymus); 81-77 (fibrosis in the thymus). These conditions should be eliminated by treating on these same rates if found and then the thymus should be stimulated by treatment on the thymus rate (59-77). Treatment on 59-77 will raise the platelet count of the blood as may be shown by standard laboratory blood analysis.

See also D-, T-, & STB-Hemorrhage; D-Thymus; and TO list for other conditions aided by treating on the Thymus.

TISSUE TONICITY

One of the most important approaches to a correct diagnosis is an exact determination of the activity of the glandular system and other parts of the body. It should first be determined for each part whether there is a hypertonicity or hypotonicity.

Hypertonicity is found at 22- and the location under observation is set up on the right hand dial, 22-51 is the combined dial setting to determine the hypertonicity of the mucous membranes and the degree can be measured on the intensity dial.

Hypotonicity is found at 77- and may likewise be combined with locations set on the right hand dial.

A correctly functioning gland or tissue will show neither hyper- nor hypotonicity. The value shown on the intensity dial will give an indication of the extent to which the tissue function has shifted away from normal.

In hay fever and allergy, a hypertonicity of the mucous membranes (22-51) and the skin (22-85) will usually be found. In most heart conditions, among other things, hypertonicity of the adrenals (22-46) will usually be found.

In cases of exhaustion, a hypotonicity of the nerves (77-11) and muscles (77-41) will usually be found. In most cases of colon disturbance, there will be a hypotonicity of the entire colon, some of the locations being the cecum (77-60), the hepatic flexure (77-78), the splenic flexure (77-80), the intestines (77-82), the colon (77-90), and the duodenum (77-94).

In a case of epilepsy of long standing, excellent results were obtained when the hypotonicity of many of the vital organs was found and treated. Usually a few minutes treatment of the hypo- or hypertonicity found is sufficient to reduce the intensity values. Repeated treatments may be necessary before normal function of the tissue is produced. Be careful not to overtreat, as the opposite condition will be produced.

See also any of the conditions mentioned above.

VIRUS X--DDT

These notes were prepared at a time when the newspapers carried almost daily announcements of an epidemic the cause of which was unknown, hence the name Virus X. They were able to get some data on typical cases and work out rates. A later note indicates that there is a relationship between this Virus X and DDT poisoning. Both are 48-.

These rates have been tried out on many cases by quite a few doctors with excellent results. The symptoms seem to fall into three basic classification. those involving the stomach and digestive tract; those involving the respiratory system and nerves; and those involving the lymph and allied glands.

Where there is nausea or abdominal pains or liver and gall bladder disturbance, look for any or all of the following rates: 48-32 (in the stomach); 48-35 (in gall bladder); 48-29 (in liver); 48-8 (in colon); 48-90 (in colon); 48-82 (in intestines); 48-94 (in duodenum).

Where there is sore throat, dizziness and shortness of breath or tension, look for: 48-37 (throat), 48-53 (upper lungs), 48-83 (lungs), 48-93 (lungs), 48-74 (lower lungs), 48-50.5 (meninges), 48-11 (nerves), 48-27 (spinal cord), and 48-91 (skin).

Where there is swelling in the lymph glands, usually accompanied by fever or chills, look for: 48-44 (lymph nodes), 48-17 (lymphatics), 48-92 (thyroid), 48-98 (thyroid), 48-95 (spleen), 48-39 (parotid), 48-59 (salivary glands).

Sometimes in severe cases the symptoms of two or all of the above groups may be found. Sometimes this Virus X may be accompanied by one or more other infections, most common of which is milk or Bovine Virus, 56-. To check for the latter, substitute 56- for 48- in all of the above locations, e.g., 56-29 for milk virus in the liver.

See also D- and T- for DDT and Poison

WEIGHT CONTROL

There is what we believe to be a part of the liver which, when properly stimulated, seems to have a decided effect on the weight reduction of an overweight person. It comes at 12.5-31.5 on the Electro Biometer. In thin people it normally will show an intensity reading higher than the normal vitality rate (9-49). In fat or overweight people it will show an intensity value lower than the normal vitality.

Procedure: Treat for three to five minutes daily with the dials set at 12.5-31.5. (NOTE: The left hand dial must be set half-way between 12 and 13; the right hand dial must be half-way between 31 and 32.)

One patient lost seven pounds during the Christmas holiday season in spite of Christmas dinner and several days of overindulgence of sweets, etc. There were no ill effects of any kind from the treatment; the patient felt fine, the flesh stayed firm and there were no other unusual discomforts such as flabbiness, tiredness, excessive desire for food, etc. There was no effort made to diet or in any way control or reduce the food intake. There was no noticeable effect on the stomach or digestive system. The excessive fat just seemed to slowly melt away. (This case history was prepared in January '48; no further data is available as to later success or problems encountered in this case.)

See also D- & T-Weight

LAB TECHNIQUES FOR WORKING
WITH CANCER CELLS

True Cancer Rate 7.5-9

Accompanying Virus 3.5-37

Rates for developed cancer

58-

30-

50-

81-

7-

3-

34- Staph, accompanies cancer

8- ulceration, accompanies some cancers

60- strep, accompanies cancer

7-13

Asbestos 38.5-7.5

Check for excess HCL, and burns, acid or radiation, or X-Ray.

Check Pancreas, treat on basic rate to stimulate enzymes production.

Treat Thyroid for 82-.

Treat Thymus.

Cancer reducing rates

33-39

8-6

3.5-37

for 30-50, treat 3-54, and reverse rate.

WEIGHT CONTROL

There is what we believe to be a part of the liver which, when properly stimulated, seems to have a decided effect on the weight reduction of an overweight person. It comes at 12.5-31.5 on the Electro Biometer. In thin people it normally will show an intensity reading higher than the normal vitality rate (9-49). In fat or overweight people it will show an intensity value lower than the normal vitality.

Procedure: Treat three to five minutes daily with the dials set at 12.5-31.5. (NOTE: The left hand dial must be set half-way between 12 and 13; and the right hand dial must be halfway between 31 and 32.)

Weight	Control: 12.5-31.5; possibly 62-84 For--; 2.5-20.5; 46-87; 23-8 (increases) Loss: 5.5-98.5; try 4-6; 11-21; 3-54 until = or higher than 9.49, then 4.75-3.25 (C) To reduce: 73-71; 3-6; 4.75-3.25 (1 hr. or so) or 12.5-31.5 (5 mins.) (C)
See also	STB-Weight control

Weight: Chlorophyll (23-25) is high in thin people. When thin, 61-31 is low. When fat, 31-61 is low.

In overweight women check ovaries (3-54). Should be same as, or greater than, vitality. Then do 4.75-3.25.

Vitality (D) To raise: 20-90; 6-61; 52-51
Treat 3-9 for 15 to 30 mins.,
if lower than 9-49.

ADRENALS 3-9. Located adjacent to kidneys. Have to do with emotions, tone, strength; are involved in selection of calcium, builds red fiber, bone, nerves.

ADRENAL CORTEX 33-39

External secretions of Cortin. Assists renal function, and excess of sodium. Assists carbohydrate metabolism, assists sexual development, opposes thyroxin. Stores Vit. 'C', assists location, controls hot flashes in menopause.

ADRENAL MEDULLA 28-23.

Internal secretion of Adrenalin. Increases heart beat, and blood pressure. Contracts uterus and mucous membranes, stimulates kidney function, dilates pupils, decreases coagulation time, contract liver,

Hypo-adrenal Medulla causes lack of tone, weakness (as in influenza), causes weak, rapid pulse, low blood pressure, look for TB, anemia, chronic rheumatism, sinus trouble, pelvic infections, intestinal toxemiz, malignancie.

Reduces	68-	3-39
Flu Aftermath	3-	38
Menier's disease	3.2-	2.5
Edema	3.5-	42
Reduce	8-	4-18
Earache	4-	68
Congestion?	4-	81
Reduces	8-	4.25-4.25
Edema	6-	17
Lowers	8-	6-61
Treatment for High blood pressure	6-63	(Kidney Tubercles)
Insomnia	6-	72
Edema	6.5-	17
Virus in eyes	7-	
Calcification	7-	
Uremic Poison	7-	63
Hardening of Arteries	7-	71
Hardening of Veins	7-	97
Detoxify	7.5-	3.5
Congestion	7.5-	12.5
Edema	8-	30
Edema	8.5-	11.5
Edema	12-	81
Edema	12.5-	45 15-32

NEGATIVE ENERGIES

I. These rates usually respond to treatment very rapidly. They tend to be psychic type "negative" thinking sent by those around us. The stronger the emotion (al) charge attached, the longer the treatment (on rate) will be. Usually people do not hold a permanent "grudge" but just think us an unkind thought in response to a singular incident in an interpersonal relationship.

The D.F. rates can literally "chain" ones life force energy. The rate for W.L. (white light) is 12-22. The ratio of white light to Dark forces should be 10:1

DF Rates:

11-21

11.5-25 T on rate if value is above

16-1 50 on instrument.

30-16

25.5-.5

II. Negative Energy Frequencies. These are usually the result of long term D.F. energies. May be the result of extreme emotions, "spells" other directed negativity. The rates may also (at times) be from discarnate entities and this should be taken into consideration in cases of alcoholism, drug habit (prescribed or recreational) recent emotional stresses, traumatic injury including accidents, operations, etc. Note: It has been shown that when all rates are present death may result.

21-11

46.5-X T on rates - may take up to 1

10.25-34.5 hour. Always recheck.

25-21.5

11.5-46.5, 25.5-

III. Emotional forces - these are complex wave lengths that as much as anything have to do with the state of mind and body of the individual. They encompass the "armouring" (Dr. Wilhelm Reich) of the individual across (or through) the 7 major chackra centers. T on rate(s) as listed from periods of

5 min. to 4 hours. Monitor closely.

1. Negative entity -36.5-36.5
21-5.5
39-
 2. Germ broadcast to subject 17.25-35.25
15.25-21.25
 3. Reception control lines 5.25-11.25
13-18
(*NOTE- sender rate often necessary)
 4. Adverse Energies 18.25-36.25
25.25-28.25
Death wish 8-91
 5. Renewing Miasms 20-21 35.25-15.5
 6. Causes Arthritis 18.25-23 13.25-27
 7. Causes Cancer 90.25-90 or 25-58.75
15.5-28.25 80.5-48.25
 8. Induces Aging .25-18.75 31.75-28.25
 9. Causes Psychosis 13-23 29-33.25
 10. Causes Insomnia 13-48 29.5-28.5
 11. Affects Assimilation 78.25-28 28.25-13
 12. Causes Lymph malfunction 28.25-73.25
3-95.25
 13. Causes Phusical malfunction 28.25-38.25 or
16-17.75 10.25-98.25
 14. Siphons ones white Light 30.25-18 18.25-98.25
 15. Drains ones Prana 30.25-13.25 16-28.25
 16. Splits auric levels 28.25-48.25 58.25-33.75
(*NOTE-important with LSD and other "mind
expanding" drugs.)
 17. Causes Blood Clots 9.75-6.25 2.75-12.75
 18. Adverse Planetary Rays 8.75-14.25 4.75-74
 19. Mental Interferences 2.25-21 10.75-63.25
 20. Adverse Emotional 11.25-41.75 60.75-48.75
 21. Causes Physical malfunction 26.43.5
72.75-27.25
 22. Negative Energies 26-63.25 18.25-47
 23. Causes Psychosis
a. Psychosis rates 2.75- 3.75- 4.75-
21- 21-92
 24. Energy Leakage 28-38.5 17.25-27.75
- V. Emotion rates-T on rate to decrease.
1. Despair 63-52.5
 2. Emotional shock 40-54
 3. Anger 80-74 or 32-53
 4. Anxious 21.75-31.25

5. Conscious mind 80-74
6. Criticalness 80-21
7. Deception 3-68
8. Depression 60-29
9. Depression 48-51
10. Depression 53.85
11. Apathy 38.25-49.25
12. Disappointment 80-43
13. Disbelief in Doctor 39-59
14. Dissention 80-74
15. Doubt 80-43
16. Embarrassment 17-30
17. Envy 33-75
18. Fixation 80-2
19. Fright 5-23
20. Greed 42-50
21. Hate 80-74
22. Heredity 40-72 or 48-72
23. Hope 70-95
24. Imagination 43-99
25. Intolerance 80-21
26. Insecure 41.25-22.75
27. Jealousy 46-33
28. Lonliness 8-21
29. Longvity 10-72
30. Mental effort 16-77
31. Possessiveness 80-21
32. Prejudice 80-74
33. Pride 80-94
34. Resentment 80-74
35. Restlessness (drive) 26-31
36. Self-condemnation 20-12
37. Selfishness 80-21
38. Self Pity 17.25-32 8-21
39. Shock 80-43
Shock aftermath 28-68, 58-77, 69-79.5
48 Shock Aftermath 37-69, 59-96, 88-69,
89-94, 87-59, 67-48
40. Sorrow 90-8
41. Stubbornness 80-2
42. Schitzophrenic .25-42.25
43. Subconscious Mind 48-55
44. Tired 12.25-98.25
45. Unhappiness 80-43
46. Worry 27.23-32.75, 26-48, 26-83

VII. Whole Rates for different bodies starting w/
physical.

1. Physical body 68-49
2. Etheric body 49-57
3. Astral body 25-47
 - a. Density level #1 87-69
 - b. Density level #2 68-37
4. Causal body 17.5-58
5. Mental 48-27

If there is much difference between any two "bodies," there are two techniques to make them equal.

1. T 43-28 and lower of two rates.

VIII. Shock - 1. Emotional and Mental

- a. 28-68 b. 58-77 c. 69-79.5 d. 80-43
2. Shock aftermath--check in physical body (68-49) or in individual organs.
 - a. 37-69, 88-69 b. 59-96, 89-94
 - c. 87-59, 67-48

IX. To reduce malignancies

1. 38.5-48.5 38-16.25
2. 19.25-68 17-13.25

X. More Oxygen needed?

1. Try all rates per category type
 - a. 44-48, 42-38, 29-22.5
 - b. 91-28, 49-89, 70-89
 - c. 84-87, 69-38, 49-53, 49-74, 58-38.25
2. Polluted Air
 - a. 49-69.75
 - b. toxicity 57-
 - c. Factor that reduces O₂ @ auric level 57-69
3. Energy low?
 - a. 59-69.75
 - b. 3-9

XI. Planetary forces and rates - may be neutralized if affecting an individual negatively.

- A. 1. Uranus 49-79.5
2. Pluto 38.25-44.5
3. Fowser 58-57.75
4. Lility 52-73.5
5. Mars 22.25-22.75

6. Saturn 15.25-29.
 7. Neptune 29.75-28.25
 8. Moon 37.75-28.25
- B. Anareta - Death configuration in astro-
logical configurations 40.75-21.75
T on rate also check all D.F. & KPF rates.

(CHART ON BACK OF THIS PAGE)

<u>Rate</u>	<u>Chakre</u>	<u>Gland(s)</u>	<u>Polarity</u>	<u>Gemstone</u>	<u>Color</u>	<u>Freq.</u>
56-56	Sacral	Reproductive organs Adrenal glands	negative (-)	Ruby	Red	4 Hz.
56-22	Spleenic	Spleen & lungs	Positive	Pearl	Orange	6 Hz.
57-16	Solar Plexis	Adrenals & Pancreas stomach	Negative	Coral	Yellow	10 Hz.
58-66	Cardiac	Heart 2-76, 6-87	Positive	Emerald	Green	12 Hz.
58-37	Thyroid (ajna)	Throat, Thyroid	Neutral	Moonstone	Blue	16 Hz.
10-60	Brow	Pituitary 6-87	Positive	Diamond	Indigo	96 Hz.
55-56	Crown	Pineal 16-28	Neutral	Sapphire	Violet	96 Hz. + 960 Hz.

RATES FOR MERIDIANS

Classical Acupuncture Meridians Found on the Hands and Feet:

1. Heart Meridian	84.5-65
2. Small intestine meridian	50-69.25
3. Urinary bladder meridian	80.5-35.5
4. Kidney meridian	79.75-65.5
5. Circulation meridian	88-45
6. (Endocrine) triple-warmer meridian	99.5-43
7. Gall bladder meridian	62.5-37.5
8. Liver meridian	60.5-40
9. Lung meridian	68.75-42.25
10. Large intestine meridian	52-29
11. Stomach meridian	63.5-41
12. Spleen-pancreas meridian	66-46.75

1. Lymph vessel	63-51.5
2. Nerval degeneration vessel	58.5-38.5
3. Allergy or vascular degeneration vessel	96.5-44
4. Organic degeneration vessel for the parenchymal and epithelial degeneration	83-43.75
5. Articular degeneration vessel	67.75-47.5
6. Fibroid and interstitial degeneration vessel	47-37.5
7. Skin vessel	54-51.5
8. Fatty degeneration vessel	79.75-56.5

FACIAL COSMETIC RATES BASED ON ACUPUNCTURE POINTS

	<u>Left hand dial</u>	<u>Right hand dial</u>
GV-23	22.25	25.35
GV-24	14.25	23.10
BL-3	14.25	32.10
BL-4	11.25	23.25
BL-5	22.25	24.25
GB-15	23.25	21.25
GB-12	12.25	21.25
GB-14	32.25	32.25
BL-2	22.25	21.25
TH-23	22.32	22.25
BL-1	22.22	23.50
GB-1	22.21	31.10
GV-25	13.11	32.25
St-8	22.21	11.10
ST-7	22.12	21.25
LI-20	22.23	11.10
ST-6	12.21	21.25
LI-19	14.21	12.10
GV-27	21.11	11.10
ST-1	15.11	31.10
ST-2	14.51	12.25
CV-23	22.31	22.25
ST-9 (NECK)	11.21	12.25
LI-18 (NECK)	31.22	11.35
ST-10 (NECK)	22.11	12.25
LI-17 (NECK)	21.32	23.25

Rec. from Rev. Bill Brown
Beacon Light Center
Sedona, Arizona

NEUTRALIZING RATE FOR SMALL POX VACCINATION
IN BLOOD STREAM

Left hand dial

34.32

23.23

Right hand dial

22.21

52.34

Received from
Rev. Bill Brown
Beacon Light Center
Sedona, Arizona

Patient _____ Age _____


Ref. Dr. _____ Case # _____

Sheet # _____ Specimen # _____ Date _____

Remarks: _____

Alcohol	3-76		
Aluminum	16-; 16-77		
Arsenic	14-52		
Asbestos	38.5-7.5		
Asperin	11-89; 7.5-14.5		
Barium (x-rays)	88-30		
Bismuth	38-31		
Chromium	21.5-66.5; 42-92		
Cobalt (radioactive)	72-84; 47.5-62.5		
Cocaine			
DDT	48-;		
Food Poison	47-;		
Ivy, Poison	2-85		
Lead	80-; 3-80		
Lindane	6.5-15		
Malathion	7.5-1.5; 18-36		
Mercury	92-99		
Nickel	41-;		
Nitrous oxide	88-;		
Nicotine	12-38		
Parathion	8.5-48; 16-25; 7.5-29		
Radiation (radium)	12-38; 12-X		
Selenium	35-79		
Sodium	82-; 82-42		
Weed Killer	2.5-4.5		
2-4-D	12.5-2.5		
Zinc Oxide	53-41; 68-97		
Hypotonicity	77-		
Hypertonicity	22-		

DIAGRAM OF SPINAL SYSTEM



DEFINITIONS FOR EACH PART CAN BE FOUND
ON THE FOLLOWING PAGES.

GENERAL RATES FOR INDIVIDUAL SPINAL VERTABRAE

These rates for individual vertabrae can be used in conjunction with the Spinal Cord Rate (00-27) to determine whether or not any subluxations exist at a particular vertebra. See the chart on the opposite page to determine what physical problems can exist as a result of these subluxations.

When discs are stressed due to subluxations and/or malpositions of vertebrae above and/or below, one can usually find high readings of Inflammation (55-27) and Congestion (40-27) with the corresponding vertebra on the second bank of the Instrument. Treat on rates to reduce conditions as found. Treating on the rates of individual vertebrae will help hold Chiropractic adjustments.

	<u>RATE</u>
Occiput	00-40
<u>Cervical</u>	
C-1 (Atlas)	28.5-38.4
C-2 (Axis)	29.5-30.5
C-3	30.5-33
C-4	31.5-36.5
C-5	33.5-30.3
C-6	35.5-42.5
C-7	46.4-39.5

	<u>RATE</u>
<u>Lumbar</u>	
L-1	24.8-41
L-2	32.0-29.5
L-3	36.5-47.5
L-4	31.5-31.5
L-5	51.0-7.5

<u>Sacrum</u>	
Sacrum	49.5-37.5
Coccyx	25.0-62
	or 14.5-96
	or 00-96

RATE

Thoracic

T-1	32.5-40.5
T-2	22.3-42.6
T-3	39.5-47.3
	or 33.5-44.5
T-4	47.0-42.5
T-5	34.5-19
T-6	57.0-38.5
T-7	39.5-39.8
T-8	34.5-39.8
T-9	44.0-41.5
T-10	42.5-26.5
T-11	25.5-40.5
T-12	36.5-47.2

Notes to Chart:

1) Every part of the body is controlled by nerves, and each of these nerves connects directly or indirectly with the spine. Column A lists the areas known to receive nerve fibers from the indicated vertebrae.

2) Column B shows some of the conditions which can follow a pressure on, or interference with, these nerves. Very few of these conditions fit wholly within the control of any one nerve.

SPINAL SECTION CONTINUED

C1---Controls: The Blood supply to the head, the pituitary gland, the scalp, bones of the face, the brain itself, inner and middle ear, the sympathetic nervous system.

When C1 is not functioning properly you may get: Headaches, nervousness, insomnia, head colds, high blood pressure, migraine headaches, mental conditions, nervous breakdowns, amnesia, epilepsy, infantile paralysis, sleeping sickness, chronic tiredness, dizziness or vertigo, St. Vitus Dance.

C2---Controls: Eyes, optic nerve, auditory nerve, sinuses, mastoid bones, tongue, forehead.

When C2 is not functioning properly you may get: Sinus troubles, allergies, crossed eyes, deafness, erysipelas, eye troubles, earache, fainting spells, certain cases of blindness.

C3---Controls: Cheeks, outer ear, face bones, teeth, trifacial nerve.

When C3 is not functioning properly you may get: Neuralgia, neuritis, acne or pimples, eczema.

C4---Controls: Nose, lips, mouth, eustachian tube.

When C4 is not functioning properly you may get: Hay fever, rose fever, etc., catarrh, hearing loss, adenoids.

C5---Controls: Vocal cords, neck glands, pharynx.

When C5 is not functioning properly you may get: Laryngitis, hoarseness, throat conditions like a sore throat, quinsy, etc.

C6---Controls: Neck muscles, shoulders, tonsils.

When C6 is not functioning properly you may get: Stiff neck, pain in upper arm, tonsillitis, whooping cough, croup.

SPINAL SECTION CONTINUED

C7---Controls: Thyroid gland, bursa in the shoulders, the elbows.

When C7 is not functioning properly you may get: Bursitis, colds, thyroid conditions, goiter.

T1---Controls: Arms from the elbows down, including the hands, wrists and fingers, also the esophagus and trachea.

When T1 is not functioning properly you may get: Asthma, cough, difficult breathing, shortness of breath, pain in lower arms and hands.

T2---Controls: Heart, including its valves and covering, also coronary arteries.

When T2 is not functioning properly you may get: Functional heart conditions and certain chest pains.

T3---Controls: Lungs, bronchial tubes, pleura, chest, breast, nipples.

When T3 is not functioning properly you may get: Bronchitis, pleurisy, pneumonia, congestion, influenza, grippe.

T4---Controls: Gall bladder and common duct.

When T4 is not functioning properly you may get: Gall bladder conditions, jaundice, shingles.

T5---Controls: Liver, solar plexus, blood.

When T5 is not functioning properly you may get: Liver conditions, fevers, low blood pressure, anemia, poor circulation, arthritis.

T6---Controls: Stomach

When T6 is not functioning properly you may get: Stomach troubles, including nervous stomach, indigestion, heartburn, dyspepsia, etc.

SPINAL SECTION CONTINUED

T7---Controls: Pancreas, isl. of Langerhans, duodenum.

When T7 is not functioning properly you may get: Diabetes, ulcers, gastritis.

T8---Controls: Spleen, diaphragm.

When T8 is not functioning properly you may get: Hiccoughs.

T9---Controls: Adrenals or supra-renals.

When T9 is not functioning properly you may get: Allergies, hives.

T10---Controls: Kidneys

When T10 is not functioning properly, you may get: Kidney troubles, hardening of the arteries, chronic tiredness, nephritis, pyelitis.

T11---Controls: Kidneys, ureters.

When T11 is not functioning properly, you may get: Skin conditions like acne or pimples, eczema, boils, etc., auto-intoxication.

T12---Controls: Small intestines, fallopian tubes, lymph circulation.

When T12 is not functioning properly you may get: Rheumatism, gas pains, certain types of sterility.

L1---Controls: Large intestines or colon, inguinal rings.

When L1 is not functioning properly, you may get: Constipation, colitis, dysentery, diarrhea, reatures or hernias.

L2---Controls: Appendix, abdomen, upper leg, caecum.

When L2 is not functioning properly, you may get: Appendicitis, cramps, difficult breathing, acidosis, varicose veins.

SPINAL SECTION CONTINUED

L3---Controls: Sex organs, ovaries or testicles, uterus, bladder, knee.

When L3 is not functioning properly, you may get: Bladder troubles, menstrual troubles like painful or irregular periods, miscarriages, bed wetting, impotency, change of life symptoms, many knee pains.

L4---Controls: Prostate gland, muscles of the lower back, sciatic nerve.

When L4 is not functioning properly, you may get: Sciatica, lumbago, difficult, painful or too frequent urination, bachaches.

L5---Controls: Lower legs, ankles, feet, toes, arches.

When L5 is not functioning properly, you may get: Poor circulation in the legs, swollen ankles, weak ankles and arches, cold feet, weakness in the legs, leg cramps.

Sacrum controls: Hip bones, buttocks.

When Sacrum is not functioning properly, you may get: Sacro-iliac condition, spinal curvatures.

Coccyx controls: Rectum, anus.

When Coccyx is not functioning properly, you may get: Hemorrhoids or piles, pruritis or itching, pain at end of spine on sitting.

THE THYMUS

Too little is actually known about the thymus in its relation to disease. We do know, however, that it directly influences the platelet count of the blood, and we are of the opinion that it has other secretory activity that is directly associated with the healing of wounds and the elimination of disease.

The theory as stated in standard medical text that the thymus influences the development of the sex organs and atrophies after adolescence is not entirely true. In all young people who seem to be fairly free from disease and whose cuts and scratches heal without festering or becoming otherwise infected, the thymus will be found to be healthy, and itself free from disease.

In those cases of children who are subject to frequent colds, festering scratches, and other infections, the thymus is often found to be diseased.

In older people who act and feel much younger than their years, the thymus will be found to be active and free from disease. Conversely, those people whose thymus is sluggish or diseased, will seem to be older than their actual years.

Some of the conditions that should be looked for are 5-77 (diphtheritic or swelling in the thymus); 30-77 (carcinoma of the thymus); 34-77 (staph in the thymus); 58-77 (sarcoma in the thymus); 81-77 (fibrosis in the thymus). Those conditions should be eliminated by treating on these same rates if found and then the thymus should be stimulated by treatment on the thymus rate, 59-77. Treatment on 59-77

THYMUS CONTINUED

will raise the platelet count of the blood as may be shown by standard laboratory blood analysis.

When you have tried the above procedure, we will appreciate your writing us as to your results. We welcome your comments and ideas and will incorporate your suggestions in future issues.

ALLERGIES AND TREATMENT

Pantothenic Acid, lack of = lack of cortisone
in system (mal-functioning of adrenals)

Symptoms: Allergies; listlessness; fatigue,
respiratory infections; need sleep; digestive
disturbances.

Rates: 2-85; 45-29; 9-70; 17-17; 40-36;
36-61; 30.5-; 43-53; 36-; 59-77; 51-92;
3-54; (transpose) 2-24

Check Pancreas-Kidneys for metal poisons and
eliminate such causes for malathion, parathion,
lindane, arsenic, lead
16-; 80-; 41-; 14-

SINUS, COLDS

Upper Nasal Area -48

Nasal Passages -34.5

Infection -6; -21; -96

77-; 22-

Inflammation 55-; 20-; 90-;

Treat 9-7; 55-34; 20-34; 90-34

Nose -97; 60-; 58-; 30-; 81-; 34-; 8-

Treat 19-96

Clears Stopped Nose 5-91

Pancreas 6-4 for protein assimilation

Sprains & bruises -21.5

Sub-cutaneous tissue -22.5

Causes Acid 23-34

Edema 12.5-45

Scar Tissue -13

For colon increases 8-75

To flush kidneys 4-96

LIGAMENTS -21.5

Digital vaginal 26.5-21.5

Flex digit profused 49.5-21.5

Index finger (flexdigit sublime) 34-21.5

2nd finger 4.5-21.5

3rd finger 10,5-21.5

4th finger 28.5-21.5

Thumb flexfollic breve 83.5-21.5

WEIGHT LOSS

-51.5 Hypothalamus
-2 Hypothalamus (controls appetite)
44.5-37 weight loss rate
96-85 Constipation
.9-90 Constipation
52.5-25 Weight loss index
12-32 To activate thyroid
6-81 Thyroid
73-71 reduces weight (treat to)
3-6
4.75-3.25
12.5-31.5
23-8
46-87 (treat and this rate increases. It is low
2.5-20.5 in fat people)
5.5-98.5 weight loss
4-6
11-21
3-54 (until equal to or higher than 9-49) then
4.75-3.25

6-17
4-36
4-86
6-8
36-11
23.5-14.5

Before using weight reducing, loss or control rates it is necessary to check the Liver (17-29) to be certain it is functioning well, with vitality as high or higher than 9-49. Treat out metallic or chemical poisoning. Check Thyroid, 6-81, treat out all metals poisons, and chemical poisons. Check for metals, chemicals, free radicals, antigens, in Hypothalamus (-2). When you begin weight loss project, use one notebook for recording this project. Keep accurate records of every analysis and treatment and the results, for your future reference.

Detox.-Bio. Cont.

Patient _____ Age _____

Ref. Dr. _____ Case # _____

Sheet # _____ Specimen # _____ Date _____

Remarks: _____

Skin 91-31			
Skin 91-31			
Adrenals 3-9			
Adrenals 3-9			
Testes 37-94			
Testes 37-94			
Intestines 55-82			
Intestines 55-82			
Thyroid 6-81			
Thyroid 6-81			
Large Colon 22-90			
Large Colon 22-90			
Diverticulin 8.5-6.5			
Diverticulin 8.5-6.5			
Ascending 5-8			
Ascending 5-8			
Sigmoid 5-12			
Sigmoid 5-12			
Transverse 5-60			
Transverse 5-60			
Pancreas 9-70			
Pancreas 9-70			
Nerves (inflammation) 3-23			
Nerves (inflammation) 3-23			
Nerves 5-62			
Nerves 5-62			
Stomach 77-84			
Stomach 77-84			
Prostate 5-91			
Prostate 5-91			

DETOXOSODE-BIOSODE CHART

Patient _____ Age _____

Ref. Dr. _____ Case # _____

Sheet # _____ Specimen # _____ Date _____

Remarks: _____

General Vitality 9-49			
Heart (detox.) 2-76			
Heart (Bio.) 2-76			
Lungs 92-83			
Lungs 92-83			
Kidneys 3-82			
Kidneys 3-82			
Liver 17-29			
Liver 17-29			
Left Lobe Liver 45-29			
Left Lobe Liver 45-29			
Lymphatics 41-44			
Lymphatics 41-44			
Spleen 4-95			
Spleen 4-95			
Gall Bladder 13-65			
Gall Bladder 13-65			
Endocrines 10-81			
Endocrines 10-81			
Ovaries 10-61			
Ovaries 10-61			
Urinary Bladder 39-30			
Urinary Bladder 39-30			
Urinary Bladder 8-13			
Urinary Bladder 8-13			
Circulation 68-71			
Circulation 68-71			
Circulation 7-71.5			
Circulation 7-71.5			
Circulation 68-97			
Circulation 68-97			
Thymus 59-77			
Thymus 59-77			

T E E T H and T R E A T M E N T

Teeth	4-99, 59-20
and gums	6.5-, -25, -25.5
upper canine	2-46
incisors	2-45
molars	2-41
premdara	2-44
wisdom	2-26
strep in	60-25
syphilis in	20-27
tooth decay	25-

For condition known as "bruxing of teeth" or grinding of teeth in sleep or involuntarily during waking hours, check for 16-49, 16-29, 16-32, 16-70. 16-28, 16-8, 16-90, 16-23, 16-35, and treat out where found. Check 16-25 and treat out when found. 17- (nickel poisoning) is responsible for loosening teeth. Check in all locations mentioned above, and treat out when found. For pain, treat 20-90. Try 70.5-25 for toothache, and treat on rate until relief is obtained. Treat out 8-25, 34-25, 60-25, and 15-25 when found. These are the main components or causes of Periodontal disease. When working with this, balance Acid-Alkaline (26-41 and 34-84). Check for 60-12 (Pyorrhea), and treat out. Try 2-25 and treat out when found. You may find 9-25 (fungus).
Treat to 0 on rate.
Check for 22-25, and treat for 20 minutes, until reduced to 0.
To lower infections, treat 4-46 for one hour.
59-77, 52-51-48-31; 10-61, 10-81; 33-23, and 6-61.

G-56

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

T E M P E R A T U R E

Temperature	30-, 95-85 also 4-50
of body	36-6
burning	30-24
normal	30-66
to find active germ	30-23
to find dead germ	30-54
	-45.5

G-57

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

TOXIC SHOCK SYNDROME

Symptoms: Low grade fever, tho occasionally may range up to 102°. Occasional spots of blood in urine. Ache in kidney areas, and pain in low front of pelvic areas: accompanied by feeling of extreme tiredness. Check 9-49 of subject.

Check 61-, 53.5, -81, -13, -26, for conditions 16-, 17-, 80-, 52-, 26-, 60-, 34-, 8-, 15-, 20-.

If these conditions are found, and the 9-49 is low, treat out all metallic poisons, check conditions in all locations again, and treat all to 0.

Then scan -13, -61, -81, and -26 again, for any adverse conditions remaining. You may find 60-, and 34-. Treat on Rate to 0.

The most important part of treatment is removing the cause.

Sanitary pads have been pinpointed as the cause of toxic shock syndrome in women. Place one of the brand name pads in the well with subject's specimen. Check the 9-49 again. Does the pad lower the subjects vitality? By what amount or percent? Check the subject's specimen for 26-6, and 31-6. How much? Check pad for 26-6, and 31-6. How much? Treat on rate until reduced to 0. Scan the pad and see what poison rate, metallic poison rate, or substance shows and what the intensity. Record your findings. Advise subject to change brand.

KIDNEYS

Kidneys		-23, 32-23
		-82, 3-82
Carcinoma		21.5-23
		30-23
Tuberless		6-
(left)		-63, 6-63
(right)		-72, 6-72
In high blood pressure		6-23
Stones		43-83
Chlorine 15-91 to reduce		
Balance sodium and chlorine		
TM prostate to reduce		
try calcification		
rates (pp		
T 3.75-2.5; to reduce, balance		
NaCL and acid/ alka;		
T on kidney with aureomycin		
Uremia		5 -100
Uremic Poisoning D, T		7 -23
		7 -63
		7 -76
Ureter	-67	
Urethra	-86	
Uric Acid Tm4	17-	4 -8
Urinary bladder T	-13	39 -30
(see also Bladder,		8 -67
Urinary)		13 -37
	(W)	48 -75
	female	19 -14
	male	21 -15
	infection	13 -13
	tumor	13 -13
Urinary, Genetro-urinary system.		-88
Urine, Albumen in --		33 -72
burning try		2 -34
		3 -81

Treat Kidneys 3-82, -23 for these conditions:

KIDNEYS (3-82) (see Tm8)

Arsenic

DDT

Earache

Edema

Flu

Migraine headache

Meningococcus

Nausea (15-)

Poisons

Polio

Scar Tissue

Sniffles

Strep

Worms: Rectum & 3-73

13-37

39-

G-60

NOTE:

THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY

A.S.R. & D. CORP.

CONDITIONS AFFECTING KNEES

Knee	55- inflammation
	3.5- swelling
	13- tumor
	38- flu
	61-,97-
	81- scar tissue
	34- staph
	48- sarcoma
	-49.5 Periosteum
	-41 muscle
	21.5 ligaments

To decrease these listed conditions, treat on
55-49.5 to lower.

G-61

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

MINERAL REAGENTS

Ruby

Emerald

Crystal (quartz)

Moonstone

Chrysacolla

Topaz

Malachite

Sapphire

Amber

G-62

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

COLORS AND GEMSTONES and the CHAKRES they control

<u>Rate</u>	<u>Chakre</u>	<u>Gland(s)</u>	<u>Polarity</u>	<u>Gemstone</u>	<u>Color</u>	<u>Freq.</u>
66-56	Sacral	Reproductive Organs Adrenal glands	Negative (-)	Ruby	Red	4 Hz.
66-22	Spleenic	Spleen & Lungs	Positive	Pearl	Orange	6 Hz.
67-16	Solar Plexis	Adrenals & Pancreas Stomach	Negative	Coral	Yellow	10 Hz.
60-66	Cardiac	Heart	Positive	Emerald	Green	12 Hz.
28-37	Thyroid (ajna)	Throat, Thyroid	Neutral	Moonstone	Blue	16 Hz.
10-60	Brow	Pituitary	Positive	Diamond	Indigo	96 Hz.
36-56	Crown	Pineal	Neutral	Sapphire	Violet	96 Hz. +

GASTRIC ULCERS

For suspected ulcers in Gastrointestinal tract:

Symptoms: pain in abdominal area, tension, nervousness, "butterflies" pain after eating, and vomiting material tinged with blood.

Check with Instrument:

72-, (Excess HCL)

71-, (Excess HCL Burns)

Ulceration -53.5, -8

Ulcer 92-32, 92-8, 92-52, 92-94, 52-78

Hypertonicity of Adrenals: 22-46

All these conditions in the specified locations should not exist there. Treat out to 0.

Reminder: Check and recheck these conditions, and be sure to use the 9-49 of the subject as your index, measuring and recording 9-49 after every check on conditions.

Treat on rate, and do not use as Reagent any alkaline "over the counter" medication.

Remember that these merely cover up symptoms, and do not give lasting relief, such as is obtained if you treat out the causes.

THE (SOBEL) FLU SYNDROME 1983

This type of Flue seems to be a recombinant variety, growing in respiratory system with some strong accompanying symptoms.

Symptoms: congestion in bronchial area, low grade fever, congestion in sinus areas, may affect ears, and feeling of great weariness.

58-59 Actual Flu Rate

This is a double dial rate (both rates together express wave length of this particular type of Flu.

Look for low readings of 59-77, 4-95, 37-93, 22-37, 22-, 22-72, 40-73, 32-18, 5-68, 5-69, 5-51, 40-93.

The best treatment for this Flu syndrome we have found is to treat to 0 on Rate.

We suggest also that a check be made of 16-, 41-, 52-, and 80- in -77, -37, -51, -73, and -95. Remove infections from -77 and -95 and treat to raise vitality of these.

© Dr. T. Galen Hieronymus

Eye, front and lateral views

Fig. A




Fig. A Lateral view

- 1 Superior levator muscle of eyelid
- 2 Superior rectus muscle
- 3 Trochlea of superior oblique muscle
- 4 Superior oblique muscle
- 5 Tendinous insertion superior oblique muscle
- 6 Conjunctiva
- 7 Upper eyelid
- 8 Meibomian gland
- 9 Eyelash
- 10 Iris
- 11 Pupil
- 12 Meibomian gland and duct
- 13 Lower eyelid
- 14 Inferior oblique muscle
- 15 Inferior rectus muscle
- 16 Internal bony wall of orbit
- 17 Infraorbital foramen
- 18 Optic nerve

EYES

Eyes	35-18,48-78,18-12,18-48, 18-70.5,3-40	
	T 3.75-2.75, goes up. Helped by 2-49;42-19;7-19; 3.5-19.5,23-9.5	
Ball	-18,32-18	9.5-10.5
Bloodshot		55-19
Congestion in		19-33
Cornea		24-33.5
In eyedrops (cortisone)		3-6
Itchy, burning		24.5-19
Lid fluttering		46-79
Lid lining, styes		-79
Lid troubles		88-79,14-79
Nerves		-11.5
Puffs under, tumors		58-97
Secropia		18.5-62
Sharp Pain		29-59
Pinkeye		30-60
Glaucoma		91-74

Most Pathological conditions in the eyes
respond to T on rates.

G-67

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

EYES

Sclera	22.5-37, -22.5
Visual center in Cerebellum	33-23, -11.5, -63.5
Vitreous Chamber	35-38.5
Optic Thalamus	36.5-38.5, -38.5
Occipital Cortex	48-48, -13.5
Anterior Chamber	23-10.5, -10.5
Turbidity of fluid	-87.5
Choroid	25-37, -36.5
Lens	-11.5
Iris	-27.5, -28
Pupil	27-25
Retina	-11.5, 48-54

G-68

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY

EYES

- | | |
|----------------------------|--------------------------------------|
| 1. Lateral rectus muscle | 13. Cornea |
| 2. Vorticose rein | 14. Aqueous humor |
| 3. Sclerotic coat | 15. Crystalline lens |
| 4. Choroid coat | 16. Ciliary muscle |
| 5. Retina | 17. Internal rectus muscle |
| 6. Vitreous body or humor | 18. Long posterior ciliary arteries |
| 7. Conjunctiva of palpebra | 19. Short posterior ciliary arteries |
| 8. Ora Serrata | 20. Optic nerve |
| 9. Ciliary body | 21. Dura mater of optic nerve |
| 10. Epithellium of cornea | 22. Arachnoid |
| 11. Zonula of Zinn | 23. Blind spot |
| 12. Iris | 24. Yellow spot |

SEE THE CARD IN THE BACK OF THIS BOOKLET WITH THE PICTURE OF THE EYE FOR THE

DRAWING THAT GOES ALONG WITH THIS INFORMATION.

Fig. 8






Fig. 8 Front View

- 1 Superior levator muscle of eyelid
- 2 Superior rectus muscle
- 3 Trochlea of superior oblique muscle
- 4 Superior oblique muscle
- 5 Sclerotic coat
- 6 Portion of eyelid
- 7 Internal rectus muscle
- 8 Lacrimal sac (nasolacrimal duct)
- 9 Caruncula lacrimalis
- 10 Medial palpebral ligament
- 11 Iris
- 12 Pupil
- 13 Inferior oblique muscle
- 14 Inferior rectus muscle
- 15 Lateral rectus muscle
- 16 Lateral palpebral ligament
- 17 Lacrimal gland

Section of eyeball





- | | | | | | |
|-----|-----------------------|-----|--|-----|--------------------------|
| 1. | Frontal bone | 18. | Vocal cord | 34. | Cerebellum |
| 2. | Sphenoid bone | 19. | Thyroid cartilage | 35. | Occipital bone |
| 3. | Frontal sinus | 20. | Cricothyroid ligament | 36. | Optic thalamus |
| 4. | Sphenoid sinus | 21. | Cricoid cartilage | 37. | Mammillary body |
| 5. | Nasal bone | 22. | Tracheal cartilages | 38. | Quadrigeminal bodies |
| 6. | Superior nasal concha | 23. | Trachea | 39. | Pineal gland |
| 7. | Median nasal concha | 24. | Esophagus | 40. | Posterior commissure |
| 8. | Inferior nasal concha | 25. | Cervical vertebrae | 41. | Middle commissure |
| 9. | Hard palate | 26. | Intervertebral discs | 42. | Left cerebral hemisphere |
| 10. | Maxilla | 27. | Spinal cord | 43. | Corpus callosum |
| 11. | Uvula | 28. | Cervical nerve | 44. | Parietal bone |
| 12. | Tongue | 29. | Axis | 45. | Fornix |
| 13. | Tonsil | 30. | Atlas | 46. | Septum pellucidum |
| 14. | Mandible | 31. | Pharyngeal orifice
of Eustachian tube | 47. | Anterior commissure |
| 15. | Epiglottis | 32. | Medulla oblongata | 48. | Optic chiasma |
| 16. | Hyoid bone | 33. | Pons Varoli | 49. | Pituitary gland |
| 17. | Thyroid membrane | | | | |

EMOTIONS AND EMOTION RATES


T ON RATE TO DECREASE


1. Dispair	63-52.5
2. Emotional shock	40-54
3. Anger	80-74 or 32-53
4. Anxious	21.75-31.25
5. Conscious mind	80-74
6. Criticalness	80-21
7. Deception	3-68
8. Depression	60-29
9. Depression	48-51
10. Depression	53.85
11. Apathy	38.25-49.25
12. Black body	6-12
13. Disappointment	80-43
14. Disbelief in Doctor	39-59
15. Dissention	80-74
16. Doubt	80-43
17. Embarrassment	17-30
18. Envy	33-75
19. Fixation	80-2
20. Fright	3-23
21. Greed	42-50
22. Hate	80-74
23. Heredity	40-72 or 48-72
24. Hope	70-95
25. Imagination	43-99
26. Intolerance	80-21
27. Insecure	41.25-22.75
28. Jealousy	46-33
29. Lonliness	8-21
30. Longevity	10-72
31. Mental effort	16-77
32. Possessiveness	80-21
33. Prejudice	80-74
34. Pride	80-94
35. Resentment	80-74
36. Restlessness (drive)	26-21
37. Self-condemnation	20-12

EMOTIONS AND EMOTION RATES CONT.

38.	Selfishness	80-21
39.	Self Pity	17.25-32 8-21
40.	Shock	80-43 (see VIII on shock
41.	Sorrow	90-8
42.	Stubborness	80-2
43.	Schtzophrenic	.25-42.25
44.	Subconscious Mind	48-55
45.	Tired	12.25-98.25
46.	Unhappiness	80-43
47.	Worry	27.25-32.75 26-48 26-83


THE EAR






MIDDLE AND INNER EAR

- | | |
|---------------------------------------|----------------------------------|
| 1. Auditory nerve | 15. Incus |
| 2. Cochlea | 16. Short limb of incus |
| 3. Cupula of cochlea | 17. Long limb of incus |
| 4. Spiral lamina and nerve of cochlea | 18. Lateral semicircular canal |
| 5. Basal coil of cochlea | 19. Posterior semicircular canal |
| 6. Round window | 20. Membranous labyrinth |
| 7. Oval window | 21. Superior semicircular canal |
| 8. Stapes | 22. Branch of vestibular nerve |
| 9. Tympanic membrane | 23. Ampullae |
| 10. Malleus | 24. Vestibule |
| 11. Manubrium of malleus | |
| 12. Lateral process of malleus | |
| 13. Neck of malleus | |
| 14. Head of malleus | |



COCHLEA

1. Cochlear nerve
2. Organs of Corti
3. Vestibular membrane
4. Spiral ligament
5. Basilar membrane
6. Scala vestibuli
7. Scala tympani
8. Cochlear duct
9. Spiral ganglion



ORGAN OF CORTI

1. Tectoral membrane
2. Limbus of spiral lamina
3. Nerve fibers
4. Internal spiral sulcus
5. Inner rod of corti
6. Spiral vessel
7. Inner or first spiral fesciculus
8. 2nd spiral fasciculus
9. Tunnel of Corti
10. Outer rod of corti
11. Basilar membrane
12. Cells of Claudius
13. Cells of Hensen
14. Cells of Deiters
15. Outer hair cells
16. Space of Nuel
17. Inner hair cells
18. Fibrillae pass. to inner/ hair cell
19. Naked axis cylinder/ hair cell

E A R S: T on Rates

Middle	-68
Outer	-69
Outer passages	-20.5
Passages	32-20.5
Strep in	60-24
Syphilis in	20-38
Wax	4-6

Ear	94-24, 40-22
T w/vioform, T out nickel	
Ache	8-, 4-69, 69-, 8-68 T 8-68, or -69; 3-82, 34-68, or -69. T liver, T w/vitamin D.
Balance	-52.5
Congestion	29-33
Deafness	-10 T on rate, T 20-55
Discharge	42.5-69 T on rate, also Na Thiosolphate.
Eustachion Obstruction	20-26 T on rate, try 20-55
From ears	3.75-2.25, 8.5-2.5
Infection	29-39
Inner	-68, 69-38
Itchy	2.5-1.75
Meneers Disease	2.33-.5, 2.5-.5, 3.2-2.5

TREAT ON RATES

G-80

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

Carcinoma Toxins		30-, 30-9, 30-50
Metastasis		30-56, 30-58
Bladder		30-37
Brain		30-25
Breast		30-92
Bronchial		30-74
Colon		30-90
Esophagus (localize)		30-35
Epithelioma (localize)		30-35
Found in --	23-	
	24.5-	
Gall Bladder		30-38

G-81

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

<u>Cancer</u>	50-, 2.5-7, 3.5-11
Blood	30.5-
Blood & Skin	30.5-91
Brain	50-10
Breast (tumor)	92-84, 58-56
Encapsulating (w/cancer or sarcoma)	78-
Found in cancer (basic cause)	82-
May be...	9.5-27
Preceeds or Produces	3.5-
Skin	30-85, 30-1.5
<p>T rate to lower, also 98-13 to prevent & cure, basic rate is pancreas, to stimulate production of enzymes. T Thyroid to get rid of 82-, 33-39 eliminates cancer, T thymus, 8-6, 3.5-7 6-85, 8.5-12</p>	
Cancer toxins	91-
Virus	3.5-37
Biopsy	9.5-9
Leukemia	11-67, 30.5-, 30.5-91, 35-, 35-9, 12.75-46.5, 30.5-29, 35-32.

G-82

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

WHOLE BODY Rates. If treatment for physical conditions is not effective, treat on these rates to align physical, Etheric (pattern) Astral, Causal and Mental Bodies. Then when even readings for these result, treat conditions of sickness out of physical.

Physical Body	68-49
Etheric Body	49-57
Astral Body	25-47
a. Density Level #1	87-69
b. Density Level #2	68-37
Causal Body	17.5-58
Mental	48-27

If there is much difference between any two "bodies", to make them equal, to equalize, treat.

1. T 43-28 and lower of two rates.

Shock - 1. Emotional and Mental

a. 28-68 b. 58-77 c. 69-79.5 d. 80-43

2. Shock aftermath -- check in physical body (68-49) or in individual organs.

a. 37-69 b. 59-96 c. 87-59 d. 16-81
88-69 89-94 67-48

Acid, Causes:

23-34

- Stomach 5-78 See HCl; T on Thymus.
- Uric 4-8 T 5-91 One hour Uremic poison.
- Acetic 4-9, 17.5-28.5
- HCL 72-70, 72- Treat rate to reduce
- Sulphuric 5.75-16.5 T on rate
- Phosphoric 92-96 T on Prostate
- Oxalic 5.5-12 T on 24-29
- Acidity 26- 34-84 T 26-41 to reduce
- Systematic Hyperacidity 5-78
- Acidosis, general 5-, 34-84 Always found in
Lukemia, T Thymus.
- Mouth sores 5-78
- Alkalinity 24-41, 26-41 T 34-84 to reduce.
- Systematic hyperalkalinity 4-27 T on 34-84
to reduce.

G-84

NOTE:
THIS IS EXPERIMENTAL AND NOT TO BE
USED INSTEAD OF A PROVEN MODALITY
A.S.R. & D. CORP.

Adrenals	-28,3-9,-46,56-46	
Cortex	33-99	
Cortex	33-39	
Increase	65-62	
Medulla	28-23	
Adrenals, Hyper	22-28	T 22-28
Hypo	77-28	T 77-28

NOTE:

Treating on Adrenals (3-9) has shown to be beneficial to the following conditions:

Anemia
 Catarrh
 Edema
 Exhaustion
 Mononucleosis
 Multiple Sclerosis
 Poisons
 Shock
 Toxicity (52-)
 TB
 2-,4-,42-,
 69-,84-.

G-85

NOTE:
 THIS IS EXPERIMENTAL AND NOT TO BE
 USED INSTEAD OF A PROVEN MODALITY
 A S R & D CORP

BIONERGETICS OF THE SKULL & BRAIN

The brain, perhaps the most important organ in the body, sits in the bony encasement of the protective skull. The skull is comprised of a number of irregularly shaped bones. They are relatively positioned after maturity yet are somewhat flexible. The joints between these bones, called sutures, are considered to be placed where the deeper bionergy can reach the surface. As one might expect, there are many acupuncture points on the head; a number of them lie on these sutures.

Skull or cranial bones do expand and contract at the sutures, following the vibratory rhythms of the cerebrospinal fluid (8 to 14 pulsations per minute). In this way the head "breathes" as these pulsations pass thru it. This pulse and rhythm is different from that of the heart beat and respiration. The pulsation wave seems to travel throughout the body via the connective tissue. The science of cranial osteopathy deals directly with this bionergetic flow as does the classical acupuncturist. Both correct abnormal vibrational patters and balance bio-nergies.

Diagrams appearing on the following pages, show the relationship between the brain and its glands, sinuses and bones. Sphenoid bone is often considered to be the most important bone of the skull. It forms the floor of the cranium at the base of the brain, extending up to the temple. The Sphenoid bone encases the pituitary gland. The depression in the bone which lodges the pituitary is often referred to as the sella turcica. This gland, in concert with thalamus and hypothalamus, are the regulators of the endocrine system. It secretes hormones into the circulation which control virtually all body functions via the other endocrine glands and target organs. The pituitary needs energy; physical nourishment from the blood as well as bionergy from inspired air.

The sphenoid sinus serves as an accumulating chamber for these essential bionergies. Air entering the nose passes directly in front of the sphenoid and also circulates into the sphenoid sinus. The sphenoid is thus a protector of the pituitary as well as a "factory" of bionergy. Other air sinuses receive and circulate bionergy and nourish other parts of the brain. The area in the center of the forehead is known as the "third eye" in the East. It is said to be the eye of the soul and is associated with the pineal gland. The pineal is known to be a rudimentary eye by Western physiologists. The optic nerve which commands the eye passes thru the sphenoid bone on its way to and from the brain.

Forward of the sphenoid bone lies the ethmoid bone, another important bone of the skull. The ethmoid is also a transmitter of bionergy from the atmosphere thru its corresponding sinus. It provides a beginning for the nasal septum, the cartilage which separates the nostrils, and surrounds the nostrils on three sides. The ethmoid sinus is actually a number of thin walled cellular cavities which capture bionergy and feed it to the brain thru a projection on the bone termed the crista galli. The crista galli is shaped like the flame of a candle or a cock's comb. It serves as a point of attachment for the membrane which surrounds the brain. The cerebrum, the largest part of the brain, is split down the middle forming two hemispheres. The outside layer membrane dips between these hemispheres and attaches to the ethmoid bone at the crista galli. It is apparent that the ethmoid is a distributing point for bionergy throughout the entire brain.

Other sinus cavities surrounding the nose serve in a similar fashion to the ethmoid and sphenoid. The maxillary sinus lies to the side of the nose and collects bionergy for the stomach as well as other parts of the body. The connection between this sinus and the stomach is

the acupuncture meridian, which begins just under the eye and continues down the face and neck, thru the thorax, the abdomen and the leg into the foot, ending on the second toe. All acupuncture meridians originate in the brain area. This fact establishes the important relationship between cranial balance and bionergetic flow to the entire body.


The temporomandibular joints (TMJ) are important energy transport points and are discussed in a separate newsletter.

Teeth or odontons are also bionergetically tied to organ+system balancing. This aspect will also be presented in a subsequent newsletter.


The interrelationship that exists between bones, sinuses, muscles, nerves and glands; all having an effect on organs+systems...the entire body, is clearly demonstrated... and appreciated!

Permission was granted to reprint the above material from:


HOBON NEWS + VIEWS
P.O. Box 126
Las Vegas, NV 89125



CROSS SECTION OF THE HUMAN SKULL



Sinuses of the Skull



Structure of Head
Showing Hypothalamus,
Pituitary, Pineal Gland
and Related Structures.